








EasyGate-LG/LR
EasyGate-BG
EasyGate-IM
EasyGate-SPT/SPD
EasyGate-SPT-Outdoor



- | | | |
|---|---|--|
|  | | POWER SUPPLY 230Vac, 1NPE, e.g. 3x2,5 mm2
The wires gauge of the power cable and its protection must be chosen according to the power consumption of the entire set of turnstiles, the length of the power cable and local technical regulations. |
|  | | CABLE FROM FIRE ALARM SYSTEM – EMERGENCY EXIT, e.g. PraFlaGuard 1x2x0,8 |
|  | | RS485 LINE FOR REMOTE CONTROL, SERVICE etc., e.g. FTP cat.5e |
|  | | RFID READER CABLES BY SUPPLIER |
|  | | LAN / ETHERNET, e.g. UTP cat.5e |
|  | | I/O CONTROL CABLE TO TURNSTILE/GATE, e.g. UTP cat.5e |
|  | | EG MASTER-SLAVE CABLES SUPPLIED BY TURNSTILES MANUFACTURER |

ELPRO		ING.ARCH. LUBOMÍR LENDVORSKÝ, MASARYKOVA 12, 960 01 ZVOLEN	
INVESTOR: TU VO ZVOLENE, T.G. MASARYKA 24, 960 01 ZVOLEN			
AUTOR NÁVRHU	ZODPOVEDNÝ PROJEKTANT	VYPRACOVAL	
ING.ARCH. L. LENDVORSKÝ	ING. RASTISLAV TORŇOŠ	JIRÍ SLÍVA	
MIESTO STAVBY: BLOK A ŠDLŠ TU VO ZVOLENE			MERÍTKO:
REKONŠTRUKCIA UBYTOVACÍCH KAPACÍT - ŠDLŠ, blok B, Študentská 17, TU vo Zvolene			STUPEŇ: SP
			DÁTUM: 10/2023
			FORMÁT: 2xA4
NÁZOV VÝKRESU:			PROFESIA: ELEKTRO
EasyGate			ČÍS. VÝKRESU:
Power supply 230 V, AC - Universal wiring diagram			S-05