

svitidla AMPERA MINI / 24 LED / 700 mA / 5145 / NW / 53 W

Project : VO Sternberk - prechod ul. Nadrazni

File : C:\Users\petrp\Desktop\PRECHO~1.LPF


Summary

Grid summary

Average type : Arithmetic (A) or Weighted (W)

Zakladni prostor A (1)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	20,2	47,3	31,0	42,8	65,3
Doplňkový prostor B1 (2)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	18,2	26,1	21,2	69,9	85,9
Doplňkový prostor prodloužený B2 (3)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	13,5	63,9	32,1	21,1	42,0

Current view Configuration (1)



Grid results

Average type : Arithmetic (A) or Weighted (W)

Zakladni prostor A (1) : Illuminance [lux]

Min : 20,2 lux


Ave (A) 31,0 lux

Max : 47,3 lux

Uo : 65,3 %

Ug : 42,8 %

4,583	31,8	47,3	20,2
2,750	28,7	43,4	23,5
0,917	25,1	36,9	21,9
Y/X	-1,333	0,000	1,333

Zakladni prostor A (1) : Illuminance [lux]

Doplňkový prostor B1 (2) : Illuminance [lux]

Min : 18,2 lux

Ave (A) 21,2 lux

Max : 26,1 lux

Uo : 85,9 %

Ug : 69,9 %

-0,500	19,4	26,1	18,2
Y/X	-1,333	0,000	1,333

Doplnkovy prostor prodlouzeny B2 (3) : Illuminance [lux]

Min : 13,5 lux


Ave (A) 32,1 lux

Max : 63,9 lux

Uo : 42,0 %

Ug : 21,1 %

8,000	13,5	25,1	13,8
7,000	31,8	52,7	19,4
6,000	48,1	63,9	20,9
Y/X	-1,333	0,000	1,333

Doplnkovy prostor prodlouzeny B2 (3) : Illuminance [lux]

General information**Configuration details**• **Configuration (1)**Activated ☒

Matrix	Description	Flux	MF	Luminaire
414422	C:\Program Files (x86)\Schreder\Lighting\Matrices\414422.mat	8,0	0,90	No Picture

Group details

Single								
	N°	Start			Luminaire			
		X	Y	H	Matrix	Az	Inc	Rot
✓	1	-3,000	0,000	6,000	414422	0,0	5,0	0,0
✓	2	3,000	13,500	6,000	414422	180,0	5,0	0,0