



Maintenance Program

SSG-F100-AMP Rev.1

Phase 03



Category : All Categories

Chapters: All Chapters

Effectivity : All Tasks

Total : 27

241000-00-01-1 IDG OIL SYSTEM	Threshold	Interval
ATA : 24 Zone : 432 Ref. Doc. : AMM 24-13-00-600-816 Effectivity : OM-BYB, OM-BYC IDG OIL SYSTEM CHECK IDG OIL LEVEL AND DIFFERENTIAL PRESSURE INDICATOR.		65 Hours 1 Month (+3 Days / -3 Days)
241000-00-01-2 IDG OIL SYSTEM	Threshold	Interval
ATA : 24 Zone : 442 Ref. Doc. : AMM 24-13-00-600-816 Effectivity : OM-BYB, OM-BYC IDG OIL SYSTEM CHECK IDG OIL LEVEL AND DIFFERENTIAL PRESSURE INDICATOR.		65 Hours 1 Month (+3 Days / -3 Days)
242000-00-01 EMERGENCY INVERTER	Threshold	Interval
ATA : 24 Zone : 213 Ref. Doc. : AMM 24-26-00-710-815 Effectivity : OM-BYB, OM-BYC EMERGENCY INVERTER OPERATIONAL CHECK OF EMERGENCY INVERTER AND TRANSFER RELAY.		125 Hours 1 Month (+3 Days / -3 Days)

243000-00-03	BATTERY POWER	Threshold	Interval
ATA : 24 Zone : 213 Ref. Doc. : AMM 24-32-00-710-835 Effectivity : OM-BYB, OM-BYC BATTERY POWER OPERATIONAL CHECK OF BATTERY CONNECTION TO THE DC EMERGENCY BUS.			125 Hours 1 Month (+3 Days / -3 Days)
VIP-245400-71-01	GALLEY POWER DISTRIBUTION	Threshold	Interval
ATA : 24 Zone : 290 Ref. Doc. : Effectivity : OM-BYB, OM-BYC GALLEY POWER DISTRIBUTION OPERATIONAL TEST OF 220VAC FREQUENCY CONVERTERS OR GFCI			1 Month (+3 Days / -3 Days)
VIP-245400-72-01	GALLEY POWER DISTRIBUTION	Threshold	Interval
ATA : 24 Zone : 290 Ref. Doc. : Effectivity : OM-BYB, OM-BYC GALLEY POWER DISTRIBUTION FUNCTIONAL TEST OF GALLEY POWER DISTRIBUTION		(+3 Days / -3 Days)	1 Month
261100-01-01	ENGINE FIRE DETECTION	Threshold	Interval
ATA : 26 Zone : 213 Ref. Doc. : AMM 26-11-00-710-815 Effectivity : OM-BYB, OM-BYC ENGINE FIRE DETECTION OPERATIONAL CHECK OF ENGINE FIRE DETECTION SYSTEM.			125 Hours 1 Month (+3 Days / -3 Days)

261200-01-01 APU FIRE DETECTION	Threshold	Interval
<p>ATA : 26 Zone : 213 Ref. Doc. : AMM 26-12-00-710-815 Effectivity : OM-BYB, OM-BYC</p> <p>APU FIRE DETECTION</p> <p>OPERATIONAL CHECK OF APU FIRE DETECTION SYSTEM.</p>		<p>125 Hours 1 Month (+3 Days / -3 Days)</p>
280005-00-01 AFTS MANUAL GROUND TRANSFER CHECK	Threshold	Interval
<p>ATA : 28 Zone : 100 Ref. Doc. : AMM-S 28-00-05-720-801 Effectivity : OM-BYB, OM-BYC</p> <p>AFTS MANUAL GROUND TRANSFER CHECK</p> <p>PERFORM AUXILIARY FUEL SYSTEM MANUAL GROUND TRANSFER FUNCTIONAL CHECK IAW. PATS AMMS (TO-3277)</p>		<p>1 Month (+3 Days / -3 Days)</p>
291300-00-01 HYDRAULIC POWER	Threshold	Interval
<p>ATA : 29 Zone : 314 Ref. Doc. : AMM 29-00-02-610-813 Effectivity : OM-BYB, OM-BYC</p> <p>HYDRAULIC POWER</p> <p>VISUAL CHECK HYDRAULIC SYSTEM 1 AND 2 RESERVOIR FLUID LEVEL. NOTE : PERFORM THIS TASK IN ZONES 213 AND 314</p>		<p>65 Hours 1 Month (+3 Days / -3 Days)</p>
VIP-332100-71-01 MAIN LIGHTING	Threshold	Interval
<p>ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC</p> <p>MAIN LIGHTING</p> <p>OPERATIONAL TEST OF THE MAIN LIGHTING VIP ZONE</p>		<p>1 Month (+3 Days / -3 Days)</p>

VIP-332100-71-02 MAIN LIGHTING	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC MAIN LIGHTING OPERATIONAL TEST OF THE MAIN LIGHTING STAFF ZONE		1 Month (+3 Days / -3 Days)

VIP-332100-71-03 MAIN LIGHTING	Threshold	Interval
ATA : 33 Zone : 262 Ref. Doc. : Effectivity : OM-BYB, OM-BYC MAIN LIGHTING OPERATIONAL TEST OF THE MAIN LIGHTING VIP LAVATORY		1 Month (+3 Days / -3 Days)

VIP-332101-71-01-1 MHI MODULE	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC MHI MODULE OPERATIONAL TEST OF THE MHI MODULE		1 Month (+3 Days / -3 Days)

VIP-332101-71-01-2 VIP LIGHTING CONTROL	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC VIP LIGHTING CONTROL OPERATIONAL TEST OF MHL3 (V)VIP		1 Month (+3 Days / -3 Days)

VIP-332101-71-02 VIP LIGHTING CONTROL	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC VIP LIGHTING CONTROL OPERATIONAL TEST OF MHL3 REAR		1 Month (+3 Days / -3 Days)

VIP-332110-71-01 VIP LIGHTING CONTROL	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC VIP LIGHTING CONTROL OPERATIONAL TEST OF MHT-IV		1 Month (+3 Days / -3 Days)

VIP-332201-71-01 READING DECORATIVE LIGHT	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC READING DECORATIVE LIGHT OPERATIONAL TEST OF READING LIGHT		1 Month (+3 Days / -3 Days)

VIP-332500-71-01 ATTENDANT CALL	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC ATTENDANT CALL OPERATIONAL TEST OF CABIN CALL (LIGHT AND SOUND)		1 Month (+3 Days / -3 Days)

VIP-332703-71-01	MIRROR LIGHT VIP LAVATORY	Threshold	Interval
ATA : 33 Zone : 262 Ref. Doc. : Effectivity : OM-BYB, OM-BYC MIRROR LIGHT VIP LAVATORY OPERATIONAL TEST OF MIRROR LIGHT VIP LAVATORY			1 Month (+3 Days / -3 Days)
VIP-332704-71-01	SNAKE LIGHT	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC SNAKE LIGHT OPERATIONAL TEST OF SNAKE LIGHT			1 Month (+3 Days / -3 Days)
VIP-332741-91-01	FLUORESCENT TUBE	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC FLUORESCENT TUBE OPERATIONAL TEST OF FLUORESCENT TUBE			1 Month (+3 Days / -3 Days)
VIP-332742-91-01	BALLAST UNIT	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC BALLAST UNIT OPERATIONAL TEST OF BALLAST UNIT			1 Month (+3 Days / -3 Days)

VIP-332901-71-01 FLOOR DECORATIVE LIGHT SYSTEM	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC FLOOR DECORATIVE LIGHT SYSTEM OPERATIONAL TEST OF FLOOR DECORATIVE LIGHT		1 Month (+3 Days / -3 Days)

353100-00-02 PORTABLE OXYGEN CYLINDER PRESSURE CHECK	Threshold	Interval
ATA : 35 Zone : 200 Ref. Doc. : AMM 35-31-01-200-816 Effectivity : OM-BYB, OM-BYC PASSENGER OXYGEN CHECK PRESSURE OF PORTABLE OXYGEN CYLINDER. NOTE : PERFORM THIS TASK IN ZONES 260 AND 290.		1 Month (+3 Days / -3 Days)

353103-00-01 EMERGENCY ESCAPE BREATHING - VACUUM SEAL. GVI	Threshold	Interval
ATA : 35 Zone : 245 Ref. Doc. : AMM 35-31-03-200-816 Effectivity : OM-BYB, OM-BYC EMERGENCY ESCAPE BREATHING GENERAL VISUAL INSPECTION OF VACUUM SEAL.		1 Month (+3 Days / -3 Days)

524104-SSG-50-01 FORWARD SERVICE/EMERGENCY DOOR	Threshold	Interval
ATA : 52 Zone : 821 Ref. Doc. : Effectivity : OM-BYB, OM-BYC FORWARD SERVICE/EMERGENCY DOOR LUBRICATION OF GIRT BAR FLOOR BRACKETS AND SLIDER. NOTE : THIS TASK WILL PREVENT FREEZING OF THE GIRT BAR TO FLOOR BRACKETS (MIGHT OCCUR DURING WINTER OPERATIONS).		1 Month