

LEGENDA SVIETIDIEL :

ozn.	SVIETIDLO	ROZMER mm	VÝKON W
A	SOMA S15 8kO 8000lm 4000K IP20 WHITE	1508 x 84 x 80	60
B	V274sLCD132/A3.W3 5030lm 4000K DALI	D260 x 85	32
B1	V274sLCD132/A3.W3 5030lm 4000K BEZ STM.	D260 x 85	32
C	PANEL LED-T 3600lm 4K+ mont. rám	600 x 600 x 50	40
D	V225sLCI 120/A3.W3 2930lm 4000K	225 x 225 x 90	20
E	V225sLCI 120/A3.W3 2930lm 4000K IP44	225 x 225 x 90	20
F	V159sCCI 120/A3.W3 2650lm 4000K	160 x 160 x 70	20
G	PANEL LED-T 3600lm 4K DALI	600 x 600 x 50	40
H	PANEL LED-T 3600lm 4K	600 x 600 x 50	40
I	SOMA S9 3k6 3600lm 4000K IP20 WHITE	908 x 84 x 80	28
J	SOMA S6 2k4 2400lm 4000K IP20 WHITE	608 x 84 x 80	20
K1	AL profil + LED strip	600	6W / 24V
K2	AL profil + LED strip	1200	6W / 24V
K3	AL profil + LED strip	1395	6W / 24V
K4	AL profil + LED strip	2575	6W / 24V
O	INTERMOS EMAIL PABS II, EVG IP 65	1210 x 100 x 74	2 x 54