



Maintenance Program

SSG-F100-AMP Rev.1

Phase 06



Category : All Categories

Chapters: All Chapters

Effectivity : All Tasks

Total : 36

275001-00-01-1 FLAP SYSTEM	Threshold	Interval
ATA : 27 Zone : 540 Ref. Doc. : AMM 12-21-05-640-843 Effectivity : OM-BYB, OM-BYC FLAP SYSTEM LUBRICATION OF FLAP VANE SWIVELS AND ROLLERS.		1 800 Hours

275001-00-01-2 FLAP SYSTEM	Threshold	Interval
ATA : 27 Zone : 640 Ref. Doc. : AMM 12-21-06-640-843 Effectivity : OM-BYB, OM-BYC FLAP SYSTEM LUBRICATION OF FLAP VANE SWIVELS AND ROLLERS.		1 800 Hours

275300-00-07-1 FLAP CARRIAGES	Threshold	Interval
ATA : 27 Zone : 530 Ref. Doc. : AMM 12-21-05-640-853 Effectivity : OM-BYB, OM-BYC FLAP CARRIAGES LUBRICATION OF FLAP CARRIAGES ROLLERS AND A-FRAME ROLLERS. NOTE : PERFORM THIS TASK IN ZONES 193, 533 AND 535		1 200 Hours

275300-00-07-2	FLAP CARRIAGES	Threshold	Interval
ATA : 27 Zone : 630 Ref. Doc. : AMM 12-21-06-640-863 Effectivity : OM-BYB, OM-BYC	FLAP CARRIAGES LUBRICATION OF FLAP CARRIAGES ROLLERS AND A-FRAME ROLLERS. NOTE : PERFORM THIS TASK IN ZONES 192, 633 AND 635		1 200 Hours
276400-00-02-1	LIFTDUMPERS HYDRAULIC CONTROL	Threshold	Interval
ATA : 27 Zone : 530 Ref. Doc. : AMM 12-21-05-640-873 Effectivity : OM-BYB, OM-BYC	LIFTDUMPERS HYDRAULIC CONTROL LUBRICATION OF LIFTDUMPER MECHANICAL DRIVES.		1 200 Hours
276400-00-02-2	LIFTDUMPERS HYDRAULIC CONTROL	Threshold	Interval
ATA : 27 Zone : 630 Ref. Doc. : AMM 12-21-06-640-863 Effectivity : OM-BYB, OM-BYC	LIFTDUMPERS HYDRAULIC CONTROL LUBRICATION OF LIFTDUMPER MECHANICAL DRIVES.		1 200 Hours
280000-00-06	FUEL	Threshold	Interval
ATA : 28 Zone : 178 Ref. Doc. : AMM 28-21-00-710-825 Effectivity : OM-BYB, OM-BYC	FUEL OPERATIONAL CHECK OF THE AUTOMATIC OFF-SWITCHING OF THE POWER SWITCH ON THE FUELING CONTROL PANEL.		1 200 Hours

321100-00-05-1 LH MAIN LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 721 Ref. Doc. : AMM 12-21-07-640-863 Effectivity : OM-BYB, OM-BYC LH MAIN LANDING GEAR LUBRICATION OF LH MAIN LANDING GEAR TORQUE LINKS.		500 Cycles

321100-00-05-2 RH MAIN LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 731 Ref. Doc. : AMM 12-21-07-640-863 Effectivity : OM-BYB, OM-BYC RH MAIN LANDING GEAR RH LUBRICATION OF MAIN LANDING GEAR TORQUE LINKS.		500 Cycles

321100-01-04-1 MAIN LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 721 Ref. Doc. : AMM 12-21-07-640-833 Effectivity : OM-BYB, OM-BYC MAIN LANDING GEAR LUBRICATION OF MLG JOINTS (EXCL. TORQUE LINKS) AND GLAND BEARINGS.		750 Cycles

321100-01-04-2 MAIN LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 731 Ref. Doc. : AMM 12-21-07-640-833 Effectivity : OM-BYB, OM-BYC MAIN LANDING GEAR LUBRICATION OF MLG JOINTS (EXCL. TORQUE LINKS) AND GLAND BEARINGS.		750 Cycles

322100-00-04 NOSE LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 711 Ref. Doc. : AMM 12-21-07-640-813 Effectivity : OM-BYB, OM-BYC NOSE LANDING GEAR LUBRICATION OF NOSE LANDING GEAR DYNAMIC JOINTS AND GLAND BEARING (EXCLUDING TORQUE LINK HINGE POINTS).		750 Cycles

322100-00-05 NOSE LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 711 Ref. Doc. : AMM 12-21-07-640-853 Effectivity : OM-BYB, OM-BYC NOSE LANDING GEAR LUBRICATION OF NOSE LANDING GEAR TORQUE LINK.		500 Cycles

323200-01-05-1 LG HYDRAULIC CONTROL	Threshold	Interval
ATA : 32 Zone : 721 Ref. Doc. : AMM 12-21-07-640-903 Effectivity : OM-BYB, OM-BYC LG HYDRAULIC CONTROL LUBRICATION OF MLG ACTUATORS.		750 Cycles

323200-01-05-2 LG HYDRAULIC CONTROL	Threshold	Interval
ATA : 32 Zone : 731 Ref. Doc. : AMM 12-21-07-640-903 Effectivity : OM-BYB, OM-BYC LG HYDRAULIC CONTROL LUBRICATION OF MLG ACTUATORS.		750 Cycles

335000-01-02-01 EMERGENCY LIGHTING (60-4068-1) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : AMM 33-52-01-600-814 Effectivity : AMM 33-52-01-600-824 OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE 60-4068-1 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-02 EMERGENCY LIGHTING (60-4068-1) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE 60-4068-1 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-03 EMERGENCY LIGHTING (60-4068-1) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE 60-4068-1 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-04 EMERGENCY LIGHTING (PS2624A) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE PS2624A EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-05 EMERGENCY LIGHTING (60-4068-1) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE 60-4068-1 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-06 EMERGENCY LIGHTING (60-4068-1) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE 60-4068-1 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-07 EMERGENCY LIGHTING (60-4068-1) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE 60-4068-1 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-08 EMERGENCY LIGHTING (P4-01-0049) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE P4-01-0049 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-09 EMERGENCY LIGHTING (P4-01-0049) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE P4-01-0049 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-10 EMERGENCY LIGHTING (P4-01-0049) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE P4-01-0049 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

335000-01-02-11 EMERGENCY LIGHTING (P4-01-0049) BATTERY PACK RESTORATION	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC EMERGENCY LIGHTING REMOVE P4-01-0049 EMERGENCY LIGHTING BATTERY PACK INCLUDING THE BATTERIES INSIDE THE FPCM DUE TO IN SHOP RESTORATION		18 Months

VIP-332102-00-01 LIGHTING CONTROL UNIT	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC LIGHTING CONTROL UNIT OPERATIONAL TEST OF THE LCU		18 Months

VIP-332103-00-01 AC TO DC CONVERTER	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC AC TO DC CONVERTER AC TO DC CONVERTER		18 Months

VIP-332104-00-01 LIGHT ASSEMBLIES	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC LIGHT ASSEMBLIES OPERATIONAL TEST OF THE LIGHT ASSEMBLIES		18 Months

VIP-332105-00-01 DOME LIGHTS	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC DOME LIGHTS OPERATIONAL TEST OF THE DOME LIGHT		18 Months

VIP-332201-00-01 READING LIGHT PSU	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC READING LIGHT PSU OPERATIONAL TEST OF THE READING LIGHT PSU		18 Months

VIP-332201-00-02 READING LIGHT	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC READING LIGHT OPERATIONAL TEST OF THE READING LIGHT		18 Months

VIP-332202-00-01-1 INVERTER	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC INVERTER OPERATIONAL TEST OF THE INVERTER		18 Months

VIP-332202-00-01-2 INVERTER	Threshold	Interval
ATA : 33 Zone : 280 Ref. Doc. : Effectivity : OM-BYB, OM-BYC INVERTER OPERATIONAL TEST OF THE INVERTER		18 Months

VIP-335201-00-01 BATTERY POWER SUPPLY UNITS	Threshold	Interval
ATA : 33 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC BATTERY POWER SUPPLY UNITS OPERATIONAL TEST OF THE BATTERY POWER - SUPPLY UNIT (BPSU)		18 Months

521202-01-09 PAX DOOR OPERATING MECHANISM	Threshold	Interval
ATA : 52 Zone : 811 Ref. Doc. : AMM 12-21-08-640-893 Effectivity : OM-BYB, OM-BYC PAX DOOR OPERATING MECHANISM LUBRICATION OF PASSENGER DOOR HINGE BEARINGS.		2 400 Hours