

Informacja o optymalnej technologii pozyskania drewna (potencjał)

Pakiet: 04

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
KRUSZYN	12-22-2-04- - -	PR			220	100	220
KRUSZYN	12-22-2-04- - -	PTP			190	100	190
KRUSZYN	12-22-2-04- - -	PTW			50	100	50
KRUSZYN	12-22-2-04-369 -h -00	TPP			69	100	69
KRUSZYN	12-22-2-04-392 -c -00	IB	319	98	8	2	327
KRUSZYN	12-22-2-04-393 -c -00	TPP	130	95	7	5	137
KRUSZYN	12-22-2-04-393 -f -00	TPP			27	100	27
KRUSZYN	12-22-2-04-394A -d -00	TPP			15	100	15
KRUSZYN	12-22-2-04-394A -f -00	TPP	35	100			35
KRUSZYN	12-22-2-04-394A -h -00	TPP	228	94	15	6	243
KRUSZYN	12-22-2-04-394 -j -00	TPP	97	97	3	3	100
KRUSZYN	12-22-2-04-394 -k -00	TPP	37	100			37
KRUSZYN	12-22-2-04-408 -a -00	TPP	435	95	25	5	460
KRUSZYN	12-22-2-04-408 -b -00	TWP			12	100	12
KRUSZYN	12-22-2-04-409 -a -00	TPP	355	97	12	3	367
KRUSZYN	12-22-2-04-410 -j -00	IVD	113	99	1	1	114
KRUSZYN	12-22-2-04-411 -a -00	TWP			110	100	110
KRUSZYN	12-22-2-04-413 -c -00	IVD	167	97	5	3	172
KRUSZYN	12-22-2-04-413 -h -00	IVD	408	98	7	2	415
KRUSZYN	12-22-2-04-415 -a -00	TPP	240	84	45	16	285
KRUSZYN	12-22-2-04-464 -a -00	TPP			20	100	20
KRUSZYN	12-22-2-04-464 -c -00	TPP	178	97	5	3	183
KRUSZYN	12-22-2-04-465 -h -00	TWP			17	100	17
KRUSZYN	12-22-2-04-470 -c -00	TWP			11	100	11
TRYSZCZYN	12-22-2-08- - -	PR			240	100	240
TRYSZCZYN	12-22-2-08- - -	PTP			430	100	430
TRYSZCZYN	12-22-2-08- - -	PTW			20	100	20
TRYSZCZYN	12-22-2-08-347 -a -00	TPP			210	100	210
TRYSZCZYN	12-22-2-08-351 -a -99	TPP	620	92	55	8	675
TRYSZCZYN	12-22-2-08-351 -b -99	TWP	142	93	10	7	152
TRYSZCZYN	12-22-2-08-356 -a -00	TPP			63	100	63
TRYSZCZYN	12-22-2-08-357 -a -00	TPP			92	100	92
TRYSZCZYN	12-22-2-08-357 -f -00	TPP			49	100	49
TRYSZCZYN	12-22-2-08-358 -a -00	TPP			45	100	45
TRYSZCZYN	12-22-2-08-371 -d -00	TWP	322	93	26	7	348
TRYSZCZYN	12-22-2-08-373 -a -00	IVD	266	93	19	7	285
TRYSZCZYN	12-22-2-08-374 -b -00	TWP	242	93	19	7	261

Informacja o optymalnej technologii pozyskania drewna (potencjał)

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
TRYSZCZYN	12-22-2-08-375 -a -00	IVD	220	94	14	6	234
TRYSZCZYN	12-22-2-08-381 -b -00	TPP			79	100	79
TRYSZCZYN	12-22-2-08-383 -c -00	IVD	585	97	18	3	603
TRYSZCZYN	12-22-2-08-396 -a -00	IB	957	95	53	5	1 010
TRYSZCZYN	12-22-2-08-422 -a -00	TPP	92	93	7	7	99
TRYSZCZYN	12-22-2-08-422 -d -00	TPP	208	93	15	7	223
		Suma:	6 396	73	2 338	27	8 734