

## WYKAZ STALI ZBROJENIOWEJ nr ZSZ-036-00 do rys. K-036-00

BUDZIK

Rodzaj i liczba prętów zbrojenia														
Nazwa	Liczba	Nr. pręta	Rodzaj średnica pręta mm	Gatu-nek	Długość m	Liczba w 1 elem. szt.	Liczba ogólna szt.	Długość łączna						
								A – IIN						
	A - I		# 8		# 10	# 12		# 16	# 20	# 25				
	szt.							φ 8 m	# 8 m	# 10 m	# 12 m	# 16 m	# 20 m	# 25 m
STROP NAD 3 PIĘTREM-ZBROJENIE DOLNE	1													
		2	12	A IIN	17,50	3	3				52,50			
		3	12	A IIN	19,50	3	3				58,50			
		4	12	A IIN	4,00	4	4				16,00			
		5	12	A IIN	6,40	5	5				32,00			
		6	12	A IIN	8,20	6	6				49,20			
		7	12	A IIN	9,75	2	2				19,50			
		8	12	A IIN	11,00	4	4				44,00			
		9	12	A IIN	11,85	11	11				130,35			
		10	12	A IIN	13,60	4	4				54,40			
		11	12	A IIN	14,30	6	6				85,80			
		12	12	A IIN	14,80	1	1				14,80			
		13	12	A IIN	15,70	2	2				31,40			
		14	12	A IIN	16,20	1	1				16,20			
		15	12	A IIN	16,80	2	2				33,60			
		16	12	A IIN	17,30	1	1				17,30			
		17	12	A IIN	18,10	2	2				36,20			
		18	12	A IIN	18,60	2	2				37,20			
		19	12	A IIN	19,10	2	2				38,20			
		20	12	A IIN	19,50	2	2				39,00			
		21	12	A IIN	19,90	1	1				19,90			
		22	12	A IIN	20,30	2	2				40,60			
		23	12	A IIN	20,90	2	2				41,80			
		24	12	A IIN	21,30	1	1				21,30			
		25	12	A IIN	21,70	1	1				21,70			
		26	12	A IIN	22,00	1	1				22,00			
		27	12	A IIN	22,30	1	1				22,30			
		28	12	A IIN	22,70	1	1				22,70			
		29	12	A IIN	23,00	1	1				23,00			
		30	12	A IIN	23,30	1	1				23,30			
		31	12	A IIN	23,50	1	1				23,50			
		32	12	A IIN	24,50	1	1				24,50			
		33	12	A IIN	24,70	1	1				24,70			
		34	12	A IIN	25,00	1	1				25,00			
		35	12	A IIN	25,20	1	1				25,20			
		36	12	A IIN	25,50	1	1				25,50			
		37	12	A IIN	25,70	1	1				25,70			
		38	12	A IIN	25,90	1	1				25,90			
		39	12	A IIN	26,10	1	1				26,10			
		40	12	A IIN	26,30	2	2				52,60			
		41	12	A IIN	26,50	3	3				79,50			
		42	12	A IIN	26,70	3	3				80,10			
		43	12	A IIN	26,90	3	3				80,70			
		44	12	A IIN	27,10	3	3				81,30			
		45	12	A IIN	27,20	3	3				81,60			
		46	12	A IIN	27,40	3	3				82,20			
		47	12	A IIN	27,50	3	3				82,50			
		48	12	A IIN	27,70	3	3				83,10			
		49	12	A IIN	27,80	3	3				83,40			
		50	12	A IIN	27,90	3	3				83,70			
		51	12	A IIN	28,10	3	3				84,30			
		52	12	A IIN	28,20	3	3				84,60			
		53	12	A IIN	28,30	3	3				84,90			
		54	12	A IIN	28,50	4	4				114,00			
		55	12	A IIN	28,60	2	2				57,20			
		56	12	A IIN	28,70	2	2				57,40			
		57	12	A IIN	14,90	1	1				14,90			
		58	12	A IIN	14,50	3	3				43,50			
		59	12	A IIN	14,70	2	2				29,40			
		60	12	A IIN	13,90	3	3				41,70			
		61	12	A IIN	13,70	1	1				13,70			
		62	12	A IIN	13,40	3	3				40,20			
		63	12	A IIN	13,30	4	4				53,20			
		64	12	A IIN	4,75	2	2				9,50			
		65	12	A IIN	4,65	4	4				18,60			
		66	12	A IIN	4,85	1	1				4,85			
		67	12	A IIN	5,00	1	1				5,00			
		68	12	A IIN	5,20	4	4				20,80			
		69	12	A IIN	5,45	2	2				10,90			
		70	12	A IIN	5,75	5	5				28,75			
		71	12	A IIN	6,30	2	2				12,60			
		72	12	A IIN	20,80	3	3				62,40			

## WYKAZ STALI ZBROJENIOWEJ nr ZSZ-036-00 do rys. K-036-00

BUDZIK

Rodzaj i liczba prętów zbrojenia														
Nazwa	Liczba	Nr. pręta	Rodzaj średnica pręta mm	Gatunek	Długość m	Liczba w 1 elem. szt.	Liczba ogólna szt.	Długość łączna						
								A – IIIN						
								A - I ϕ 8 m	# 8 m	# 10 m	# 12 m	# 16 m	# 20 m	# 25 m
		73	12	A IIIN	20,60	2	2				41,20			
		74	12	A IIIN	20,50	1	1				20,50			
		75	12	A IIIN	20,40	1	1				20,40			
		76	12	A IIIN	20,20	1	1				20,20			
		77	12	A IIIN	20,10	1	1				20,10			
		78	12	A IIIN	19,70	1	1				19,70			
		79	12	A IIIN	19,60	1	1				19,60			
		80	12	A IIIN	19,30	1	1				19,30			
		81	12	A IIIN	19,20	1	1				19,20			
		82	12	A IIIN	19,00	1	1				19,00			
		83	12	A IIIN	18,90	1	1				18,90			
		84	12	A IIIN	18,70	1	1				18,70			
		85	12	A IIIN	18,40	1	1				18,40			
		86	12	A IIIN	18,30	1	1				18,30			
		87	12	A IIIN	17,90	1	1				17,90			
		88	12	A IIIN	17,80	1	1				17,80			
		89	12	A IIIN	17,60	1	1				17,60			
		90	12	A IIIN	17,40	1	1				17,40			
		91	12	A IIIN	17,20	1	1				17,20			
		92	12	A IIIN	17,00	1	1				17,00			
		93	12	A IIIN	16,60	1	1				16,60			
		94	12	A IIIN	16,30	1	1				16,30			
		95	12	A IIIN	15,90	1	1				15,90			
		96	12	A IIIN	15,20	1	1				15,20			
		97	12	A IIIN	15,10	1	1				15,10			
		98	12	A IIIN	13,10	6	6				78,60			
		99	12	A IIIN	11,60	4	4				46,40			
		100	12	A IIIN	10,80	3	3				32,40			
		101	12	A IIIN	9,60	2	2				19,20			
		102	12	A IIIN	12,00	9	9				108,00			
		103	12	A IIIN	11,50	4	4				46,00			
		104	12	A IIIN	11,20	2	2				22,40			
		105	12	A IIIN	10,50	4	4				42,00			
		106	12	A IIIN	10,30	4	4				41,20			
		107	12	A IIIN	10,20	4	4				40,80			
		108	12	A IIIN	10,10	6	6				60,60			
		109	12	A IIIN	2,60	12	12				31,20			
		110	12	A IIIN	2,70	2	2				5,40			
		111	12	A IIIN	2,80	1	1				2,80			
		112	12	A IIIN	2,90	2	2				5,80			
		113	12	A IIIN	3,00	2	2				6,00			
		114	12	A IIIN	3,20	1	1				3,20			
		115	12	A IIIN	3,35	3	3				10,05			
116	12	A IIIN	3,80	2	2				7,60					
117	12	A IIIN	4,35	2	2				8,70					
118	12	A IIIN	2,00	1	1				2,00					
119	12	A IIIN	6,10	3	3				18,30					
120	12	A IIIN	6,90	4	4				27,60					
121	12	A IIIN	7,20	3	3				21,60					
122	12	A IIIN	7,50	3	3				22,50					
123	12	A IIIN	7,85	3	3				23,55					
124	12	A IIIN	8,40	3	3				25,20					
125	12	A IIIN	8,70	3	3				26,10					
126	12	A IIIN	8,90	3	3				26,70					
127	12	A IIIN	9,20	1	1				9,20					
128	12	A IIIN	9,40	2	2				18,80					
129	12	A IIIN	9,60	1	1				9,60					
130	12	A IIIN	11,90	1	1				11,90					
131	12	A IIIN	9,10	1	1				9,10					
132	12	A IIIN	3,50	12	12				42,00					
133	12	A IIIN	11,80	1	1				11,80					
134	12	A IIIN	13,00	1	1				13,00					
135	12	A IIIN	9,85	4	4				39,40					
136	12	A IIIN	10,10	1	1				10,10					
137	12	A IIIN	10,60	2	2				21,20					
138	12	A IIIN	10,70	2	2				21,40					
139	12	A IIIN	10,90	3	3				32,70					
140	12	A IIIN	11,10	3	3				33,30					
141	12	A IIIN	11,25	3	3				33,75					
142	12	A IIIN	11,40	3	3				34,20					
143	12	A IIIN	11,70	5	5				58,50					

## BUDZIK

Strona 3 z 3