



Maintenance Program

SSG-F100-AMP Rev.1

Phase 05



Category : All Categories

Chapters: All Chapters

Effectivity : All Tasks

Total : 62

062402-00-01-1 NACELLE	Threshold	Interval
ATA : 06 Zone : 431 Ref. Doc. : AMM 05-24-00-210-836 Effectivity : OM-BYB, OM-BYC NACELLE ZONAL INSPECTION OF NACELLE INLET SECTION, EXTERNALLY.		1 200 Cycles

062402-00-01-2 NACELLE	Threshold	Interval
ATA : 06 Zone : 441 Ref. Doc. : AMM 05-24-00-210-836 Effectivity : OM-BYB, OM-BYC NACELLE ZONAL INSPECTION OF NACELLE INLET SECTION, EXTERNALLY.		1 200 Cycles

062403-00-01-1 NACELLE	Threshold	Interval
ATA : 06 Zone : 432 Ref. Doc. : AMM 05-24-00-210-846 Effectivity : OM-BYB, OM-BYC NACELLE ZONAL INSPECTION OF ENGINE SECTION, INTERNALLY (EZAP).		1 000 Hours

062403-00-01-2	NACELLE	Threshold	Interval
ATA : 06 Zone : 442 Ref. Doc. : AMM 05-24-00-210-846 Effectivity : OM-BYB, OM-BYC NACELLE ZONAL INSPECTION OF ENGINE SECTION, INTERNALLY (EZAP).			1 000 Hours
212630-00-01	EQUIPMENT COOLING	Threshold	Interval
ATA : 21 Zone : 254 Ref. Doc. : AMM 21-26-00-710-835 Effectivity : OM-BYB, OM-BYC EQUIPMENT COOLING VISUAL CHECK THIRD AVIONICS COOLING FAN INDICATION ON MTP/CFDU.			600 Hours
221100-50-01	AUTOPILOT	Threshold	Interval
ATA : 22 Zone : 346 Ref. Doc. : AMM 12-21-03-640-983 Effectivity : OM-BYB, OM-BYC AUTOPILOT LUBRICATION OF THE AUTOPILOT ELEVATOR SERVO-MOUNT CAPSTAN, ELEVATOR SERVO-DRIVE CABLES AND THE ELEVATOR CABLE TENSION REGULATOR. NOTE : TASK IS APPLICABLE IF EQUIPPED WITH ELEVATOR SERVO MOUNT P/N 622-8069-303, -304 OR -401.			250 Hours
233301-00-01	PASSENGER ADDRESS	Threshold	Interval
ATA : 23 Zone : 200 Ref. Doc. : AMM 23-33-01-710-812 Effectivity : OM-BYB, OM-BYC PASSENGER ADDRESS OPERATIONAL CHECK OF MEGAPHONES.			1 Year

233301-00-02 PASSENGER ADDRESS	Threshold	Interval
ATA : 23 Zone : 200 Ref. Doc. : AMM 23-33-01-860-812 Effectivity : OM-BYB, OM-BYC PASSENGER ADDRESS DISCARD MEGAPHONES BATTERIES.		1 Year
237100-01-02 VOICE RECORDING	Threshold	Interval
ATA : 23 Zone : 210 Ref. Doc. : AMM 23-71-01-710-815 Effectivity : OM-BYB, OM-BYC VOICE RECORDING OPERATIONAL CHECK OF COCKPIT VOICE RECORDER. NOTE : PERFORM THIS TASK AT THE FLIGHT DECK IN ZONE 210 OR ZONE 230 (REF. AMM PROCEDURE).		1 Year
254201-00-01 LAVATORY WASTE BIN COMPARTMENT	Threshold	Interval
ATA : 25 Zone : 200 Ref. Doc. : AMM 25-40-00-200-816 Effectivity : OM-BYB, OM-BYC LAVATORY WASTE BIN COMPARTMENT DETAILED INSPECTION OF WASTE BIN LID AND ENVIRONMENT.		1 000 Hours
255100-00-01 CARGO COMPARTMENT LINING	Threshold	Interval
ATA : 25 Zone : 100 Ref. Doc. : Effectivity : OM-BYB, OM-BYC CARGO COMPARTMENT LINING GENERAL VISUAL INSPECTION OF CARGO COMPARTMENTS CEILING, SIDEWALL AND FLOOR PANELS.		1 000 Hours

256202-00-01	FIRST AID EQUIPMENT	Threshold	Interval
ATA : 25 Zone : 200 Ref. Doc. : AMM 25-62-02-710-815 Effectivity : OM-BYB, OM-BYC	FIRST AID EQUIPMENT		600 Hours
OPERATIONAL CHECK OF NON-RECHARGEABLE FLASH LIGHTS MONITORING CIRCUIT. NOTE : EFFECTIVITY: TASK ONLY APPLICABLE IF NON-RECHARGEABLE FLASH LIGHTS INSTALLED.			
262400-00-03	LAVATORY BIN FIRE EXTINGUISHING	Threshold	Interval
ATA : 26 Zone : 200 Ref. Doc. : AMM 26-24-00-200-816 Effectivity : OM-BYB, OM-BYC	LAVATORY BIN FIRE EXTINGUISHING		600 Hours
DETAILED INSPECTION OF LAVATORIES WASTE BIN FIRE EXTINGUISHER RELEASE CAPS.			
262400-SSG-01-1	NO.1 PORTABLE BCF EXTINGUISHER BOTTLE - WEIGHT CHECK	Threshold	Interval
ATA : 26 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC	NO.1 PORTABLE BCF EXTINGUISHER BOTTLE		1 Year
REMOVE NO.1 PORTABLE BCF EXTINGUISHER BOTTLE DUE TO WEIGHT CHECK			
262400-SSG-01-2	NO.2 PORTABLE BCF EXTINGUISHER BOTTLE - WEIGHT CHECK	Threshold	Interval
ATA : 26 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC	NO.2 PORTABLE BCF EXTINGUISHER BOTTLE		1 Year
REMOVE NO.2 PORTABLE BCF EXTINGUISHER BOTTLE DUE TO WEIGHT CHECK			

262400-SSG-01-3 NO.3 PORTABLE BCF EXTINGUISHER BOTTLE - WEIGHT CHECK	Threshold	Interval
ATA : 26 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC NO.3 PORTABLE BCF EXTINGUISHER BOTTLE REMOVE NO.3 PORTABLE BCF EXTINGUISHER BOTTLE DUE TO WEIGHT CHECK		1 Year

262400-SSG-01-4 NO.4 PORTABLE BCF EXTINGUISHER BOTTLE - WEIGHT CHECK	Threshold	Interval
ATA : 26 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC NO.4 PORTABLE BCF EXTINGUISHER BOTTLE REMOVE NO.4 PORTABLE BCF EXTINGUISHER BOTTLE DUE TO WEIGHT CHECK		1 Year

262400-SSG-01-5 NO.5 PORTABLE BCF EXTINGUISHER BOTTLE - WEIGHT CHECK	Threshold	Interval
ATA : 26 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC NO.5 PORTABLE BCF EXTINGUISHER BOTTLE REMOVE NO.5 PORTABLE BCF EXTINGUISHER BOTTLE DUE TO WEIGHT CHECK		1 Year

262400-SSG-01-6 NO.6 PORTABLE BCF EXTINGUISHER BOTTLE - WEIGHT CHECK	Threshold	Interval
ATA : 26 Zone : 200 Ref. Doc. : Effectivity : OM-BYB, OM-BYC NO.6 PORTABLE BCF EXTINGUISHER BOTTLE REMOVE NO.6 PORTABLE BCF EXTINGUISHER BOTTLE DUE TO WEIGHT CHECK		1 Year

262400-SSG-01-7	PORTABLE BCF EXTINGUISHER BOTTLE	Threshold	Interval
ATA : 26 Zone : 200 Ref. Doc. : Effectivity : OM-BYC PORTABLE BCF EXTINGUISHER BOTTLE WEIGHT CHECK OF NO.7 PORTABLE BCF EXTINGUISHER BOTTLE			1 Year
273500-00-01	STALL WARNING	Threshold	Interval
ATA : 27 Zone : 253 Ref. Doc. : AMM 27-35-00-710-835 Effectivity : OM-BYB, OM-BYC STALL WARNING OPERATIONAL CHECK OF STALL WARNING SYSTEM.			1 000 Hours
275300-00-05-1	FLAP MECHANICAL DRIVE	Threshold	Interval
ATA : 27 Zone : 530 Ref. Doc. : AMM 12-21-05-640-913 Effectivity : OM-BYB, OM-BYC FLAP MECHANICAL DRIVE LUBRICATION AND CLEANING OF FLAP ACTUATOR NUTS. NOTE : PERFORM THIS TASK IN ZONES 193, 533 AND 535.			600 Hours
275300-00-05-2	FLAP MECHANICAL DRIVE	Threshold	Interval
ATA : 27 Zone : 630 Ref. Doc. : AMM 12-21-06-640-923 Effectivity : OM-BYB, OM-BYC FLAP MECHANICAL DRIVE LUBRICATION AND CLEANING OF FLAP ACTUATOR NUTS. NOTE : PERFORM THIS TASK IN ZONES 192, 633 AND 635.			600 Hours

280000-00-14 FUEL	Threshold	Interval
ATA : 28 Zone : 150 Ref. Doc. : AMM PATS (TO-3277) Effectivity : PATS 28-10-03-400-801 OM-BYB, OM-BYC FUEL DETAILED INSPECTION OF AFTS TRANSFER/FILL VALVE (TFV) AND OVERFLOW VALVE (OFV) ACTUATOR INSTALLATION IN DRY BAYS. NOTE : PERFORM THIS TASK IN ZONE 153, 154, 163 AND 164.		1 Year

280000-SSG-01-1 MAIN TANK	Threshold	Interval
ATA : 28 Zone : 520 Ref. Doc. : Effectivity : OM-BYB, OM-BYC MAIN TANK TAKE FUEL SAMPLE FROM LH MAIN TANK AND ANALYZE FOR CONTAMINATION		1 Year

280000-SSG-01-2 MAIN TANK	Threshold	Interval
ATA : 28 Zone : 620 Ref. Doc. : Effectivity : OM-BYB, OM-BYC MAIN TANK TAKE FUEL SAMPLE FROM RH MAIN TANK AND ANALYZE FOR CONTAMINATION		1 Year

290000-SSG-01 HYDRAULIC SYSTEM	Threshold	Interval
ATA : 29 Zone : 314 Ref. Doc. : Effectivity : OM-BYB, OM-BYC HYDRAULIC SYSTEM TAKE HYDRAULIC FLUID SAMPLE FROM SYSTEM 1 AND 2 AND ANALYZE FOR CONTAMINATION		1 Year

291100-00-01 PRESSURE GENERATION	Threshold	Interval
ATA : 29 Zone : 314 Ref. Doc. : AMM 29-37-00-200-816 Effectivity : OM-BYB, OM-BYC PRESSURE GENERATION VISUAL CHECK OF HYDRAULIC SYSTEM 1 AND 2 PRESSURE AND RETURN FILTERS FOR CLOGGED INDICATION.		600 Hours

291100-00-03 HYDRAULIC POWER	Threshold	Interval
ATA : 29 Zone : 177 Ref. Doc. : AMM 29-00-03-790-823 Effectivity : OM-BYB, OM-BYC HYDRAULIC POWER VISUAL CHECK OF HYDRAULIC SYSTEM(S) ACCUMULATOR PRE-CHARGE.		600 Hours

291100-00-04 PRESSURE GENERATION	Threshold	Interval
ATA : 29 Zone : 314 Ref. Doc. : AMM 29-11-09-600-813 Effectivity : OM-BYB, OM-BYC PRESSURE GENERATION DRAIN ELECTRIC PUMPS SEAL DRAIN VALVE.		600 Hours

291300-00-04 HYDRAULIC POWER	Threshold	Interval
ATA : 29 Zone : 126 Ref. Doc. : Effectivity : OM-BYB, OM-BYC HYDRAULIC POWER GENERAL VISUAL INSPECTION OF HYDRAULIC TUBING, COUPLINGS AND COMPONENTS IN NLG WHEEL BAY.		500 Hours

291300-00-05 HYDRAULIC POWER	Threshold	Interval
ATA : 29 Zone : 100 Ref. Doc. : Effectivity : OM-BYB, OM-BYC HYDRAULIC POWER GENERAL VISUAL INSPECTION OF HYDRAULIC TUBING, COUPLINGS AND COMPONENTS IN MAIN LANDING GEAR BAYS. NOTE : PERFORM THIS TASK IN ZONES 177, 178, 185 AND 186.		500 Hours
291300-00-06 HYDRAULIC POWER	Threshold	Interval
ATA : 29 Zone : 531 Ref. Doc. : Effectivity : OM-BYB, OM-BYC HYDRAULIC POWER GENERAL VISUAL INSPECTION OF HYDRAULIC TUBING, COUPLINGS AND COMPONENTS IN MAIN LANDING GEAR STRUT BAYS. NOTE : PERFORM THIS TASK IN ZONES 531 AND 631.		500 Hours
291300-00-07 HYDRAULIC POWER	Threshold	Interval
ATA : 29 Zone : 187 Ref. Doc. : Effectivity : OM-BYB, OM-BYC HYDRAULIC POWER GENERAL VISUAL INSPECTION OF HYDRAULIC TUBING, COUPLINGS AND COMPONENTS IN HYDRAULIC TUNNEL.		500 Hours
314100-00-01 PROXIMITY SWITCHING SYSTEM	Threshold	Interval
ATA : 31 Zone : 128 Ref. Doc. : AMM 31-41-00-710-815 Effectivity : OM-BYB, OM-BYC PROXIMITY SWITCHING SYSTEM OPERATIONAL CHECK OF PROXIMITY SWITCHING SYSTEM.		600 Hours

321100-01-09-1 MAIN LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 721 Ref. Doc. : AMM 32-11-10-200-816 Effectivity : OM-BYB, OM-BYC MAIN LANDING GEAR VISUAL CHECK OF OILLEVEL OF THE MLG TORQUE LINK DAMPER UNIT.		300 Cycles

321100-01-09-2 MAIN LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 731 Ref. Doc. : AMM 32-11-10-200-816 Effectivity : OM-BYB, OM-BYC MAIN LANDING GEAR VISUAL CHECK OF OILLEVEL OF THE MLG TORQUE LINK DAMPER UNIT.		300 Cycles

321201-00-01-1 MAIN LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 720 Ref. Doc. : AMM 12-21-07-640-843 Effectivity : OM-BYB, OM-BYC MAIN LANDING GEAR LUBRICATION OF MAIN LANDING GEAR DOOR HINGES.		3 000 Hours

321201-00-01-2 MAIN LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 730 Ref. Doc. : AMM 12-21-07-640-843 Effectivity : OM-BYB, OM-BYC MAIN LANDING GEAR LUBRICATION OF MAIN LANDING GEAR DOOR HINGES.		3 000 Hours

322201-00-01 NOSE LANDING GEAR	Threshold	Interval
ATA : 32 Zone : 710 Ref. Doc. : AMM 12-21-07-640-823 Effectivity : OM-BYB, OM-BYC NOSE LANDING GEAR LUBRICATION OF NOSE LANDING GEAR DOORS HINGES.		3 600 Hours
323200-50-01-1 LANDING GEAR HYDRAULIC	Threshold	Interval
ATA : 32 Zone : 721 Ref. Doc. : AMM 32-32-09-200-816 Effectivity : OM-BYB, OM-BYC LANDING GEAR HYDRAULIC DETAILED INSPECTION OF THE MAIN LANDING GEAR DOOR ACTUATOR.		300 Cycles
323200-50-01-2 LANDING GEAR HYDRAULIC	Threshold	Interval
ATA : 32 Zone : 731 Ref. Doc. : AMM 32-32-09-200-816 Effectivity : OM-BYB, OM-BYC LANDING GEAR HYDRAULIC DETAILED INSPECTION OF THE MAIN LANDING GEAR DOOR ACTUATOR.		300 Cycles
324400-00-04 MLG BRAKE HYDRAULIC CONTROL	Threshold	Interval
ATA : 32 Zone : 177 Ref. Doc. : AMM 29-00-03-790-843 Effectivity : OM-BYB, OM-BYC MLG BRAKE HYDRAULIC CONTROL FUNCTIONAL CHECK OF PRECHARGE OF ALTERNATE BRAKE ACCUMULATOR.		600 Hours

341100-50-01	Threshold	Interval
<p>PITOT STATIC</p> <p>ATA : 34 Zone : 100 Ref. Doc. : AMM 34-11-01-200-826 Effectivity : OM-BYB, OM-BYC</p> <p>PITOT STATIC</p> <p>DETAILED INSPECTION OF THE PITOT HEADS.</p>		1 Year
342200-00-01	Threshold	Interval
<p>STANDBY HORIZON</p> <p>ATA : 34 Zone : 147 Ref. Doc. : AMM 34-22-02-610-812 Effectivity : OM-BYB</p> <p>STANDBY HORIZON</p> <p>REMOVE STANDBY HORIZON BATTERY PACK DUE TO RESTORATION</p>		1 Year
351100-00-06	Threshold	Interval
<p>FLIGHT CREW OXYGEN MASKS OPERATIONAL CHECK</p> <p>ATA : 35 Zone : 220 Ref. Doc. : AMM 35-11-02-710-815 Effectivity : OM-BYB, OM-BYC</p> <p>OXYGEN MASK</p> <p>OPERATIONAL CHECK OF THE FLIGHT CREW OXYGEN MASKS.</p>		1 200 Hours
360000-00-15	Threshold	Interval
<p>PNEUMATICS - DUCT LEAK INDICATION ON MTP/CFDU</p> <p>ATA : 36 Zone : 254 Ref. Doc. : AMM 36-23-00-210-816 Effectivity : OM-BYB, OM-BYC</p> <p>PNEUMATICS</p> <p>VISUAL CHECK OF DUCT LEAK INDICATION ON MTP/CFDU.</p>		600 Hours

380000-SSG-01	CENTRAL WATER SYSTEM	Threshold	Interval
ATA : 38 Zone : 165 Ref. Doc. : Effectivity : OM-BYB, OM-BYC CENTRAL WATER SYSTEM TAKE WATER SAMPLE AND ANALYZE FOR DRINKING WATER QUALITY			12 Months

381200-00-01	CENTRAL WATER SYSTEM	Threshold	Interval
ATA : 38 Zone : 165 Ref. Doc. : AMM 38-12-00-670-813 Effectivity : OM-BYB, OM-BYC CENTRAL WATER SYSTEM STERILIZATION OF CENTRAL WATER SYSTEM.			12 Months

492000-00-01	APU ENGINE	Threshold	Interval
ATA : 49 Zone : 311 Ref. Doc. : AMM 49-90-03-210-816 Effectivity : OM-BYB, OM-BYC APU ENGINE DETAILED INSPECTION OF MAGNETIC DRAIN PLUG OF APU OIL SYSTEM.			6 000 Hours 12 Months

723010-00-03-1	NO.1 ENGINE	Threshold	Interval
ATA : 72 Zone : 430 Ref. Doc. : AMM 72-30-10-200-826 Effectivity : OM-BYB, OM-BYC NO.1 ENGINE DETAILED INSPECTION OF THE SPINNER CONE FAIRING FOR CRACKS EMANATING FROM THE BOLT ATTACHMENT HOLES.			600 Cycles

723010-00-03-2	NO.2 ENGINE	Threshold	Interval
ATA : 72 Zone : 440 Ref. Doc. : AMM 72-30-10-200-826 Effectivity : OM-BYB, OM-BYC NO.2 ENGINE DETAILED INSPECTION OF THE SPINNER CONE FAIRING FOR CRACKS EMANATING FROM THE BOLT ATTACHMENT HOLES.			600 Cycles
725200-00-02-1	ENGINE	Threshold	Interval
ATA : 72 Zone : 432 Ref. Doc. : AMM 72-52-31-210-816 Effectivity : OM-BYB, OM-BYC ENGINE GENERAL VISUAL INSPECTION OF LOW PRESSURE TURBINE BEARING SUPPORT SPOKE FAIRINGS.			1 000 Hours
725200-00-02-2	ENGINE	Threshold	Interval
ATA : 72 Zone : 442 Ref. Doc. : AMM 72-52-31-210-816 Effectivity : OM-BYB, OM-BYC ENGINE GENERAL VISUAL INSPECTION OF LOW PRESSURE TURBINE BEARING SUPPORT SPOKE FAIRINGS.			1 000 Hours
730000-00-04	ENGINE FUEL SYSTEM	Threshold	Interval
ATA : 73 Zone : 254 Ref. Doc. : AMM 73-21-06-200-816 Effectivity : OM-BYB, OM-BYC ENGINE FUEL SYSTEM VISUAL CHECK OF APPROACH IDLE INDICATION ON MTP/CFDU.			1 200 Hours

740000-02-01 ENGINE IGNITION	Threshold	Interval
ATA : 74 Zone : 214 Ref. Doc. : AMM 74-00-00-710-815 Effectivity : OM-BYB, OM-BYC ENGINE IGNITION OPERATIONAL CHECK OF IGNITION SYSTEM 1 AND 2. NOTE : PERFORM THIS TASK IN ZONES 214, 432 AND 442.		600 Hours
762000-00-01 EMERGENCY SHUT-DOWN	Threshold	Interval
ATA : 76 Zone : 210 Ref. Doc. : AMM 76-20-00-700-815 Effectivity : OM-BYB, OM-BYC EMERGENCY SHUT-DOWN FUNCTIONAL CHECK OF EMERGENCY SHUT-DOWN SYSTEM. NOTE : PERFORM THIS TASK IN ZONES 213, 214, 313, 314, 531 AND 631.		1 000 Hours
762300-00-02-1 LP SHAFT FAILURE SYSTEM	Threshold	Interval
ATA : 76 Zone : 430 Ref. Doc. : AMM 76-23-00-200-816 Effectivity : OM-BYB, OM-BYC LP SHAFT FAILURE SYSTEM DETAILED INSPECTION OF THE EMERGENCY FUEL SHUT-OFF CABLE.		1 000 Hours
762300-00-02-2 LP SHAFT FAILURE SYSTEM	Threshold	Interval
ATA : 76 Zone : 440 Ref. Doc. : AMM 76-23-00-200-816 Effectivity : OM-BYB, OM-BYC LP SHAFT FAILURE SYSTEM DETAILED INSPECTION OF THE EMERGENCY FUEL SHUT-OFF CABLE.		1 000 Hours

773100-00-01 ENGINE FAILURE SENSING	Threshold	Interval
ATA : 77 Zone : 250 Ref. Doc. : AMM 77-31-00-710-815 Effectivity : OM-BYB, OM-BYC ENGINE FAILURE SENSING INSPECTION OF ENGINE FAILURE SENSING FOR CHANNEL DISAGREE INDICATION.		1 000 Hours
774700-00-01-1 ENGINE INDICATING	Threshold	Interval
ATA : 77 Zone : 432 Ref. Doc. : AMM 77-47-03-720-815 Effectivity : OM-BYB, OM-BYC ENGINE INDICATING FUNCTIONAL CHECK OF OIL QUANTITY TRANSMITTER. NOTE : PERFORM THIS TASK IN ZONES 432, 225 AND 250.		600 Hours
774700-00-01-2 ENGINE INDICATING	Threshold	Interval
ATA : 77 Zone : 442 Ref. Doc. : AMM 77-47-03-720-815 Effectivity : OM-BYB, OM-BYC ENGINE INDICATING FUNCTIONAL CHECK OF OIL QUANTITY TRANSMITTER. NOTE : PERFORM THIS TASK IN ZONES 442, 225 AND 250.		600 Hours