




Item	Reference	Description	QTY
1		PIPE DN350 THICKNESS 5mm AISI-316L EN 10217-7 (WELDED)	2 m
2		TRANSFORMATION 296x240 - DN350 THICKNESS 5mm AISI-316L	1
3		ELBOW 90° DN350 THICKNESS 5mm SHORT RADIUS 1.5D AISI-316L EN10253-1	2
4		FLAT FLANGE DN350 PN10 THICKNESS 8mm AISI-316L (INSERTEC FLANGE)	4
5		GASKET DN350 PN10 3mm CERAMIC FIBRE	2
6		BOLT M24x60 A4-80 DIN933	32
7		NUT M24 A4-80 DIN934	32
8		FLAT WASHER M24 A4 DIN125	64
9		GROWER WASHER M24 A4 DIN127	32
10		BOLT M10x40 A4-80 DIN933	8
11		NUT M10 A4-80 DIN934	8
12		FLAT WASHER M10 A4 DIN125	16
13		GROWER WASHER M10 A4 DIN127	8
14		INSULATION TYPE PERSONAL PROTECTION. 50 MM THICKNESS STONE WOOL ACCORDING TO ISOVER TECH WIRED MAT MT 3.1. AND 0.8 MM ALUMINUM CLADDING	3,5 m



Rev.		Modification										Date		Name		B							
This drawing is property of INSERTEC. Must not be copied or transferred to third parties in any way without written authorization.																							
Tolerance for dimensions without tol. according to ISO 2768-mK																							
More than		0.5	3	6	30	120	400	1000	2000	Date		Name		Material									
Less		3	6	30	120	400	1000	2000	4000	Drawn		03/12/2025		RCB									
Machine Tool		±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	Checked		JMR		Weight (kg)									
Welded			±0.5	±1	±1.5	±2	±3	±4	±6	Verified		BU		143.27									
Customer:										Format:		Title TMT25#1 COMBUSTION AIR SYSTEM EXHAUST OUTLET											
2558-ALINVEST										A2													
										Scale:													
										1:15													
 										Project		Part Number										Revision	
										Method:													
																						2558-3321-TMT-ESR90-GEN01-90	
												Customer Number										Sheet	
																						1/1	