

| Popis prvku | | | | VÝKRES VÝSTUŽE ZÁKLADOV | | | | | | | | V.Č.: 01 | |
|--------------------------|-------------------|-------------------------------|-----------------|-------------------------|-------|-------|--------|-------|-------|--------|-----------------------------|----------|------|
| | | | | CELKOVÝ VÝPIS | | | | | | | | | |
| OZN. PRVKU | PROFI L (mm) | DĚLKA, PLOCHA (m, m2) | POČET (ks) | CELKOVÁ DĚLKA OCELE | | | | | | | CELKOVÁ PLOCHA SIEŤOVINY | | |
| | | | | OCEĽ 10 505 | | | | | | | | | |
| | | | | R6 | R8 | R10 | R12 | R14 | R16 | R18 | R20 | Q335 | Q503 |
| 1 | R12 | 13,800 | 10 | | | | 138 | | | | | | |
| 2 | R8 | 13,400 | 4 | | 53,6 | | | | | | | | |
| 3 | R8 | 2,920 | 102 | | 297,8 | | | | | | | | |
| 4 | R12 | 27,680 | 8 | | | | 221,44 | | | | | | |
| 5 | R8 | 26,880 | 4 | | 107,5 | | | | | | | | |
| 6 | R8 | 1,920 | 204 | | 391,7 | | | | | | | | |
| 7 | R8 | 24,630 | 6 | | 147,8 | | | | | | | | |
| 8 | R8 | 1,950 | 94 | | 183,3 | | | | | | | | |
| DĚLKA CELKOM (m) | | | | 0 | 1182 | 0 | 359,44 | 0 | 0 | 0 | 0 | 0 | 0 |
| HMOTNOSTĚ (kg/mĚ) | | | | 0,222 | 0,395 | 0,617 | 0,888 | 1,208 | 1,578 | 1,9976 | 2,4662 | 5,37 | 7,89 |
| HMOTNOSTĚ (kg) | | | | 0 | 466,8 | 0 | 319,18 | 0 | 0 | 0 | 0 | 0 | 0 |
| CELKOVÁ HMOTNOSTĚ (kg) | | | | 785,962 kg | | | | | | | | | |
| HMOTNOSTĚ + 5 % (kg) | | | | 825,260 kg | | | | | | | | | |

| Popis prvku | | | | množstvo 1 x | | VÝKRES: BETÓNY | | | | | | | |
|-------------------------|-------------------|-------------------------------|-----------------|---------------------|-------|----------------|-------|-------|-------------|-------|-------|-----------------------------|------|
| | | | | CELKOVÝ VÝPIS | | | | | | | | | |
| OZN. PRVKU | PROFI L (mm) | DĽŽKA, PLOCHA (m, m2) | POČET (ks) | CELKOVÁ DĽŽKA OCELE | | | | | | | | CELKOVÁ PLOCHA SIEŤOVINY | |
| | | | | OCEĽ 10 505 | | | | | OCEĽ 10 216 | | | | |
| | | | | R6 | R8 | R12 | R14 | R16 | E5 | E6 | E8 | Q 131 | Q188 |
| 1 | Q131 | 172,000 | 2 | Podkladný betón | | | | | | | | 344 | |
| DĽŽKA CELKOM (m) | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 344 | 0 |
| HMOTNOSŤ (kg/m') | | | | 0,222 | 0,395 | 0,888 | 1,208 | 1,578 | 0,187 | 0,222 | 0,395 | 2,09 | 3,01 |
| HMOTNOSŤ (kg) | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 718,96 | 0 |
| CELKOVÁ HMOTNOSŤ (kg) | | | | 718,960 kg | | | | | | | | | |
| HMOTNOSŤ + 5 % (kg) | | | | 754,908 kg | | | | | | | | | |

PLOCHA SIEŤOVÍN JE S 20% REZEOU

| Popis prvku | | | | VÝKRES TVARU NAD 1.PP, VÝKRES TVARU NAD 1.NP | | | | | | | | V.Č.: 02,03 | |
|--------------------------------|----------------|-------------------------|--------------|--|-------|-------|--------|-------|-------|--------------------------|--------|-------------|------|
| | | | | CELKOVÝ VÝPIS | | | | | | | | | |
| OZN. PRVKU | PROFI L (mm) | DĚLKA, PLOCHA (m, m2) | POČET (ks) | CELKOVÁ DĚLKA OCELE | | | | | | CELKOVÁ PLOCHA SIEŤOVINY | | | |
| | | | | OCEĽ 10 505 | | | | | | | | | |
| | | | | R6 | R8 | R10 | R12 | R14 | R16 | R18 | R20 | Q131 | Q335 |
| 1 | R12 | 0,550 | 144 | | | | 79,2 | | | | | | |
| 2 | R12 | 0,550 | 144 | | | | 79,2 | | | | | | |
| DĚLKA CELKOM (m) | | | | 0 | 0 | 0 | 158,4 | 0 | 0 | 0 | 0 | 0 | 0 |
| HMOTNOST (kg/m ³) | | | | 0,222 | 0,395 | 0,617 | 0,888 | 1,208 | 1,578 | 1,9976 | 2,4662 | 2,09 | 5,37 |
| HMOTNOST (kg) | | | | 0 | 0 | 0 | 140,66 | 0 | 0 | 0 | 0 | 0 | 0 |
| CELKOVÁ HMOTNOST (kg) | | | | 140,659 kg | | | | | | | | | |
| HMOTNOST + 5 % (kg) | | | | 147,692 kg | | | | | | | | | |

| Popis prvku | | | | VÝKRES VÝSTUŽE NAD 1.PP | | | | | | | | | | V.Č.: 05 | |
|-------------------------|-------------------|-------------------------------|-----------------|-------------------------|-------|-------|--------|-------|--------|--------|--------|-----------------------------|------|----------|--|
| | | | | CELKOVÝ VÝPIS | | | | | | | | | | | |
| OZN. PRVKU | PROFI L (mm) | DĚLKA, PLOCHA (m, m2) | POČET (ks) | CELKOVÁ DĚLKA OCELE | | | | | | | | CELKOVÁ PLOCHA SIEŤOVINY | | | |
| | | | | OCEĽ 10 505 | | | | | | | | | | | |
| | | | | R6 | R8 | R10 | R12 | R14 | R16 | R18 | R20 | Q335 | Q503 | | |
| 1 | R12 | 2,420 | 2 | | | | 4,84 | | | | | | | | |
| 2 | R12 | 1,580 | 4 | | | | 6,32 | | | | | | | | |
| 3 | R6 | 1,400 | 11 | 15,4 | | | | | | | | | | | |
| 4 | R12 | 1,850 | 2 | | | | 3,7 | | | | | | | | |
| 5 | R12 | 1,010 | 3 | | | | 3,03 | | | | | | | | |
| 6 | R6 | 1,440 | 7 | 10,08 | | | | | | | | | | | |
| 7 | R12 | 2,400 | 2 | | | | 4,8 | | | | | | | | |
| 8 | R12 | 1,560 | 4 | | | | 6,24 | | | | | | | | |
| 9 | R6 | 1,500 | 11 | 16,5 | | | | | | | | | | | |
| 10 | R8 | 1,800 | 2 | | 3,6 | | | | | | | | | | |
| 11 | R8 | 1,240 | 3 | | 3,72 | | | | | | | | | | |
| 12 | R6 | 0,860 | 9 | 7,74 | | | | | | | | | | | |
| 13 | R8 | 1,700 | 2 | | 3,4 | | | | | | | | | | |
| 14 | R8 | 1,140 | 3 | | 3,42 | | | | | | | | | | |
| 15 | R6 | 0,860 | 8 | 6,88 | | | | | | | | | | | |
| 16 | R16 | 5,500 | 2 | | | | | 11 | | | | | | | |
| 17 | R12 | 3,860 | 2 | | | | 7,72 | | | | | | | | |
| 18 | R16 | 3,860 | 6 | | | | | 23,16 | | | | | | | |
| 19 | R12 | 0,700 | 6 | | | | 4,2 | | | | | | | | |
| 20 | R8 | 1,360 | 26 | | 35,36 | | | | | | | | | | |
| 21 | R8 | 11,740 | 4 | | 46,96 | | | | | | | | | | |
| 22 | R6 | 0,660 | 73 | 48,18 | | | | | | | | | | | |
| 23 | R8 | 2,010 | 4 | | 8,04 | | | | | | | | | | |
| 24 | R6 | 0,860 | 8 | 6,88 | | | | | | | | | | | |
| DĚLKA CELKOM (m) | | | | 111,7 | 104,5 | 0 | 40,85 | 0 | 34,16 | 0 | 0 | 0 | 0 | | |
| HMOTNOST (kg/m') | | | | 0,222 | 0,395 | 0,617 | 0,888 | 1,208 | 1,578 | 1,9976 | 2,4662 | 5,37 | 7,89 | | |
| HMOTNOST (kg) | | | | 24,79 | 41,28 | 0 | 36,275 | 0 | 53,904 | 0 | 0 | 0 | 0 | | |
| CELKOVÁ HMOTNOST (kg) | | | | 156,245 kg | | | | | | | | | | | |
| HMOTNOST + 5 % (kg) | | | | 164,058 kg | | | | | | | | | | | |

| Popis prvku | | | | VÝKRES VÝSTUŽE NAD 1.NP | | | | | | | | V.Č.: 06 | |
|--------------------------|---------------|-------------------------|--------------|-------------------------|-------|-------|--------|-------|-------|--------|--------|--------------------------|------|
| | | | | CELKOVÝ VÝPIS | | | | | | | | | |
| OZN. PRVKU | PROFIL (mm) | DĚLKA, PLOCHA (m, m2) | POČET (ks) | CELKOVÁ DĚLKA OCELE | | | | | | | | CELKOVÁ PLOCHA SIEŤOVINY | |
| | | | | OCEĽ 10 505 | | | | | | | | | |
| | | | | R6 | R8 | R10 | R12 | R14 | R16 | R18 | R20 | Q335 | Q503 |
| 1 | R12 | 2,100 | 12 | | | | 25,2 | | | | | | |
| 2 | R12 | 1,260 | 18 | | | | 22,68 | | | | | | |
| 3 | R6 | 0,860 | 42 | 36,12 | | | | | | | | | |
| 4 | R12 | 2,950 | 2 | | | | 5,9 | | | | | | |
| 5 | R12 | 2,110 | 2 | | | | 4,22 | | | | | | |
| 6 | R6 | 0,860 | 14 | 12,04 | | | | | | | | | |
| 7 | R12 | 113,750 | 4 | | | | 455 | | | | | | |
| 8 | R6 | 0,660 | 518 | 341,9 | | | | | | | | | |
| DĚLKA CELKOM (m) | | | | 390 | 0 | 0 | 513 | 0 | 0 | 0 | 0 | 0 | 0 |
| HMOTNOSTĚ (kg/mĚ) | | | | 0,222 | 0,395 | 0,617 | 0,888 | 1,208 | 1,578 | 1,9976 | 2,4662 | 5,37 | 7,89 |
| HMOTNOSTĚ (kg) | | | | 86,59 | 0 | 0 | 455,54 | 0 | 0 | 0 | 0 | 0 | 0 |
| CELKOVÁ HMOTNOSTĚ (kg) | | | | 542,133 kg | | | | | | | | | |
| HMOTNOSTĚ + 5 % (kg) | | | | 569,240 kg | | | | | | | | | |

| Popis prvku | | | | VÝKRES VÝSTUŽE NAD 2.NP | | | | | | | | V.Č.: 07 | |
|--------------------------|-------------------|-------------------------------|-----------------|-------------------------|-------|-------|--------|-------|-------|--------|--------|-----------------------------|------|
| | | | | CELKOVÝ VÝPIS | | | | | | | | | |
| OZN. PRVKU | PROFI L (mm) | DĚLKA, PLOCHA (m, m2) | POČET (ks) | CELKOVÁ DĚLKA OCELE | | | | | | | | CELKOVÁ PLOCHA SIEŤOVINY | |
| | | | | OCEĽ 10 505 | | | | | | | | | |
| | | | | R6 | R8 | R10 | R12 | R14 | R16 | R18 | R20 | Q335 | Q503 |
| 1 | R12 | 2,100 | 12 | | | | 25,2 | | | | | | |
| 2 | R12 | 1,260 | 18 | | | | 22,68 | | | | | | |
| 3 | R6 | 0,860 | 42 | 36,12 | | | | | | | | | |
| 4 | R12 | 101,440 | 4 | | | | 405,76 | | | | | | |
| 5 | R6 | 0,660 | 462 | 304,9 | | | | | | | | | |
| DĚLKA CELKOM (m) | | | | 341 | 0 | 0 | 453,64 | 0 | 0 | 0 | 0 | 0 | 0 |
| HMOTNOSTĚ (kg/mĚ) | | | | 0,222 | 0,395 | 0,617 | 0,888 | 1,208 | 1,578 | 1,9976 | 2,4662 | 5,37 | 7,89 |
| HMOTNOSTĚ (kg) | | | | 75,71 | 0 | 0 | 402,83 | 0 | 0 | 0 | 0 | 0 | 0 |
| CELKOVÁ HMOTNOSTĚ (kg) | | | | 478,543 kg | | | | | | | | | |
| HMOTNOSTĚ + 5 % (kg) | | | | 502,470 kg | | | | | | | | | |

| Popis prvku | | | | VÝKRES VÝSTUŽE KONZOL NAD 1.PP | | | | | | | | V.Č.: 08 | |
|--------------------------------|---------------|-------------------------|--------------|--------------------------------|-------|-------|--------|-------|-------|--------|--------|-------------------------|------|
| | | | | CELKOVÝ VÝPIS | | | | | | | | | |
| OZN. PRVKU | PROFIL (mm) | DĚLKA, PLOCHA (m, m2) | POČET (ks) | CELKOVÁ DĚLKA OCELE | | | | | | | | CELKOVÁ PLOCHA SÍŤOVINY | |
| | | | | OCEL 10 505 | | | | | | | | | |
| | | | | R6 | R8 | R10 | R12 | R14 | R16 | R18 | R20 | Q131 | Q335 |
| 1 | R12 | 3,000 | 14 | | | | 42 | | | | | | |
| 2 | R12 | 4,000 | 14 | | | | 56 | | | | | | |
| 3 | R12 | 3,000 | 7 | | | | 21 | | | | | | |
| 4 | R12 | 3,980 | 7 | | | | 27,86 | | | | | | |
| 5 | R12 | 3,000 | 35 | | | | 105 | | | | | | |
| 6 | R12 | 4,050 | 35 | | | | 141,75 | | | | | | |
| 7 | R8 | 1,620 | 87 | | 140,9 | | | | | | | | |
| 8 | Q131 | 9,000 | 10 | | | | | | | | 90 | | |
| DĚLKA CELKOM (m) | | | | 0 | 140,9 | 0 | 393,61 | 0 | 0 | 0 | 0 | 90 | 0 |
| HMOTNOST (kg/m ³) | | | | 0,222 | 0,395 | 0,617 | 0,888 | 1,208 | 1,578 | 1,9976 | 2,4662 | 2,09 | 5,37 |
| HMOTNOST (kg) | | | | 0 | 55,67 | 0 | 349,53 | 0 | 0 | 0 | 0 | 188,1 | 0 |
| CELKOVÁ HMOTNOST (kg) | | | | 593,297 kg | | | | | | | | | |
| HMOTNOST + 5 % (kg) | | | | 622,962 kg | | | | | | | | | |

| Popis prvku | | | | VÝKRES VÝSTUŽE STROPNEJ DOSKY NAD 1.NP - SPODNÝ POVRCH | | | | | | | | V.Č.: 09 | |
|-------------------------|-------------------|-------------------------------|-----------------|--|-------|-------|--------|-------|-------|--------|--------|-----------------------------|--------|
| CELKOVÝ VÝPIS | | | | | | | | | | | | | |
| OZN. PRVKU | PROFI L (mm) | DĚLKA, PLOCHA (m, m2) | POČET (ks) | CELKOVÁ DĚLKA OCELE | | | | | | | | CELKOVÁ PLOCHA SIEŤOVINY | |
| | | | | OCEĽ 10 505 | | | | | | | | | |
| | | | | R6 | R8 | R10 | R12 | R14 | R16 | R18 | R20 | Q188 | Q335 |
| 1 | R12 | 7,310 | 24 | | | | 175,44 | | | | | | |
| 2 | R12 | 3,870 | 52 | | | | 201,24 | | | | | | |
| 3 | R12 | 4,040 | 48 | | | | 193,92 | | | | | | |
| 4 | R12 | 3,210 | 20 | | | | 64,2 | | | | | | |
| 5 | R12 | 4,290 | 24 | | | | 102,96 | | | | | | |
| 6 | R12 | 4,860 | 20 | | | | 97,2 | | | | | | |
| 7 | R12 | 3,860 | 70 | | | | 270,2 | | | | | | |
| 8 | R12 | 6,320 | 24 | | | | 151,68 | | | | | | |
| 9 | R12 | 6,320 | 4 | | | | 25,28 | | | | | | |
| 10 | R12 | 5,240 | 16 | | | | 83,84 | | | | | | |
| 11 | Q335 | 390,000 | 1 | | | | | | | | | | 390 |
| DĚLKA CELKOM (m) | | | | 0 | 0 | 0 | 1366 | 0 | 0 | 0 | 0 | 0 | 390 |
| HMOTNOSŤ (kg/m') | | | | 0,222 | 0,395 | 0,617 | 0,888 | 1,208 | 1,578 | 1,9976 | 2,4662 | 3,01 | 5,37 |
| HMOTNOSŤ (kg) | | | | 0 | 0 | 0 | 1213 | 0 | 0 | 0 | 0 | 0 | 2094,3 |
| CELKOVÁ HMOTNOSŤ (kg) | | | | 3307,272 kg | | | | | | | | | |
| HMOTNOSŤ + 5 % (kg) | | | | 3472,636 kg | | | | | | | | | |

| Popis prvku | | | | VÝKRES VÝSTUŽE STROPNEJ DOSKY NAD 1.NP - HORNÝ POVRCH | | | | | | | V.Č.: 10 | | |
|-------------------------|-------------------|-------------------------------|-----------------|---|-------|-------|--------|-------|-------|--------|-----------------------------|------|---------|
| OZN. PRVKU | PROFI L (mm) | DĽŽKA, PLOCHA (m, m2) | POČET (ks) | CELKOVÝ VÝPIS | | | | | | | | | |
| | | | | CELKOVÁ DĽŽKA OCELE | | | | | | | CELKOVÁ PLOCHA SIEŤOVINY | | |
| | | | | OCEĽ 10 505 | | | | | | | | | |
| | | | | R6 | R8 | R10 | R12 | R14 | R16 | R18 | R20 | Q188 | Q335 |
| 1 | R12 | 3,030 | 24 | | | | 72,72 | | | | | | |
| 2 | R12 | 2,340 | 84 | | | | 196,56 | | | | | | |
| 3 | R12 | 2,840 | 85 | | | | 241,4 | | | | | | |
| 4 | R12 | 2,140 | 30 | | | | 64,2 | | | | | | |
| 5 | R12 | 4,420 | 10 | | | | 44,2 | | | | | | |
| 6 | R12 | 3,000 | 56 | | | | 168 | | | | | | |
| 7 | R12 | 4,160 | 56 | | | | 232,96 | | | | | | |
| 8 | Q335 | 335,000 | 1 | | | | | | | | | | 335 |
| DĽŽKA CELKOM (m) | | | | 0 | 0 | 0 | 1020 | 0 | 0 | 0 | 0 | 0 | 335 |
| HMOTNOSŤ (kg/m') | | | | 0,222 | 0,395 | 0,617 | 0,888 | 1,208 | 1,578 | 1,9976 | 2,4662 | 3,01 | 5,37 |
| HMOTNOSŤ (kg) | | | | 0 | 0 | 0 | 905,8 | 0 | 0 | 0 | 0 | 0 | 1798,95 |
| CELKOVÁ HMOTNOSŤ (kg) | | | | 2704,746 kg | | | | | | | | | |
| HMOTNOSŤ + 5 % (kg) | | | | 2839,983 kg | | | | | | | | | |