

## Units and modules



## Legend








### Important notes

The authors and Erbe Elektromedizin GmbH have taken the greatest possible care while compiling the catalogue with electrosurgical accessories. Nevertheless, it is impossible to exclude the possibility that errors may be contained herein.

The information and recommendations given here may not be construed as constituting any basis for any claims against Erbe Elektromedizin GmbH. Should legal regulations stipulate liability, such liability shall be limited to intentional misconduct or gross negligence.

The data on the use of instruments is based on clinical experience. Medical science is subject to a process of permanent change based on research and clinical experience. Therefore the products are subject to alterations in design and technique. Because of production tolerances dimensions in the catalogue may marginally differ.

### Further product information

Packaging unit	 = 5	 4 kVp	Max. electrical capacity
Notes on use	 30191-682	 max 95 °C	Temperature for cleaning in washer disinfectors
		 max 134 °C	Temperature for sterilization in autoclave
			Single-use product
		STERILE R	Sterile packaging
		STERILE R STERILE EO	
			Manual cleaning and disinfection

Please read carefully the corresponding notes on use before using any instrument.

## Units and modules

### Electrosurgery

- 04 VIO® 3
- 05 VIO® 3n
- 08 VIO® seal
- 08 VIO® D, S, C
- 12 Modules

### Plasmasurgery

- 13 Modules

### Hydrosurgery

- 14 Units and modules

### Cryosurgery

- 15 Units

VIO® 3  
VIO® 3n  
VIO seal  
VIO® D, S, C

APC 3  
APC 2

IES 3  
EIP 2

ERBEJET® 2  
ESM 2

ERBECRYO® 2

# Electrosurgery

## VIO® 3

### VIO® 3

VIO® 3 is yet another of our milestones in technology following VIO® 300/200.  
Take advantage of the progress that using VIO® 3 provides you and your patients.

- Logical, convenient and visual operator guidance (stepGUIDE)
- ReMode: Up to 6 different settings selectable from the sterile field
- Reliable, reproducible tissue effects thanks to state-of-the-art processor technology
- Sockets: Easy replacement, connection recommendations, slot assignment



### No. 10160-000

CUT	COAG
autoCUT	preciseSECT
highCUT	swiftCOAG
dryCUT	softCOAG
thermoSECT	forcedCOAG
autoCUT bipolar	sprayCOAG
highCUT bipolar	twinCOAG
endoCUT Q	softCOAG bipolar
endoCUT I	forcedCOAG bipolar
	thermoSEAL
	forcedAPC
	pulsedAPC
	preciseAPC

## Socket modules for VIO® 3

Socket modules	No.
MF-U, as an upgrade kit	20160-005
MF-0, as an upgrade kit	20160-004
MO 3Pin-9/5, as an upgrade kit	20160-001
MO 3Pin-Bovie, as an upgrade kit	20160-002
BI 2Pin 22-28-8/4, as an upgrade kit	20160-003
NE 6 - NE 2Pin, as an upgrade kit	20160-006

# Electrosurgery

## VIO® 3n for Endoscopy

### VIO® 3n Fire

#### Designed for GI and pulmonology procedures at the highest level

- Precise and controlled cutting, even underwater with endoCUT® U
- Tissue-selective dissection for exposure of sensitive structures with preciseSECT
- Perfect combination with proprietary Erbe hybrid instruments such as HYBRIDknife® flex and MOVIVA®



#### Exemplary compatible modules

- APC 3
- ERBEJET® 2
- ERBECRYO® 2
- EIP 2

#### No. 10160-010

CUT	COAG
autoCUT	softCOAG
autoCUT bipolar	softCOAG bipolar
highCUT	forcedCOAG
dryCUT	swiftCOAG
endoCUT I	sprayCOAG
endoCUT Q	preciseSECT
endoCUT U	twinCOAG
	forcedAPC
	preciseAPC
	pulsedAPC
	senseAPD
	autoCUT argon
	highCUT argon
	dryCUT argon
	swiftCOAG argon
	preciseSECT argon
	twinCOAG argon

### VIO® 3n Metal

#### Designed for advanced GI and pulmonology procedures

- Perfect combination with FiAPC® probes and the full range of renowned Erbe argon plasma modes
- Coagulation and tissue-separating with swiftCOAG



#### Exemplary compatible modules

- APC 3
- ERBEJET® 2
- ERBECRYO® 2
- EIP 2

#### No. 10160-010

CUT	COAG
autoCUT	softCOAG
autoCUT bipolar	softCOAG bipolar
endoCUT I	forcedCOAG
endoCUT Q	swiftCOAG
	forcedAPC
	preciseAPC
	pulsedAPC

### VIO® 3n Stone

#### Designed for day-to-day, routine GI interventions

- Compatible with a wide range of standard instruments
- Compact design makes it suitable for outpatient settings



#### Exemplary compatible modules

- EIP 2

#### No. 10160-010

CUT	COAG
autoCUT	softCOAG
autoCUT bipolar	softCOAG bipolar
endoCUT I	forcedCOAG
endoCUT Q	

# Electrosurgery

## VIO® 3n for Surgery

### VIO® 3n Water

#### Designed for complex cases in multi-disciplinary ORs

- Simultaneous bipolar activation when combined with VIO® seal
- Tissue-selective dissection for exposure of sensitive structures with preciseSECT
- Monopolar resection and smooth cutting with highCUT
- Perfect combination with APCapplicator and the full range of renowned Erbe argon plasma modes



#### Exemplary compatible modules

- VIO® seal
- APC 3
- IES 3
- ERBEJET® 2
- ESM 2

#### No. 10160-010

CUT	COAG
autoCUT	softCOAG
autoCUT bipolar	softCOAG bipolar
highCUT	forcedCOAG
dryCUT	swiftCOAG
	sprayCOAG
	preciseSECT
	twinCOAG
	forcedAPC
	preciseAPC
	pulsedAPC
	autoCUT argon
	highCUT argon
	dryCUT argon
	swiftCOAG argon
	preciseSECT argon
	twinCOAG argon
	senseAPD

### VIO® 3n Amber

#### Designed for surgical procedures between routine and complexity

- Simultaneous monopolar activation in one device with twinCOAG
- Non-contact argon plasma coagulation with forcedAPC



#### Exemplary compatible modules

- VIO® seal
- APC 3
- IES 3

#### No. 10160-010

CUT	COAG
autoCUT	softCOAG
autoCUT bipolar	softCOAG bipolar
dryCUT	forcedCOAG
	swiftCOAG
	sprayCOAG
	twinCOAG
	forcedAPC

### VIO® 3n Timber

#### Designed for everyday procedures in surgery

- Compatible with a wide range of standard instruments
- Compact design makes it suitable for outpatient settings



#### Exemplary compatible modules

- VIO® seal
- IES 3

#### No. 10160-010

CUT	COAG
autoCUT	softCOAG
autoCUT bipolar	softCOAG bipolar
dryCUT	forcedCOAG
	swiftCOAG
	sprayCOAG

# Electrosurgery

Available modes by configuration VIO® 3n

Modes	VIO® 3n Fire	VIO® 3n Metal	VIO® 3n Stone	VIO® 3n Water	VIO® 3n Amber	VIO® 3n Timber
autoCUT	●	●	●	●	●	●
highCUT	●	-	-	●	-	-
dryCUT	●	-	-	●	●	●
endoCUT I	●	●	●	-	-	-
endoCUT Q	●	●	●	-	-	-
endoCUT U	●	-	-	-	-	-
softCOAG	●	●	●	●	●	●
forcedCOAG	●	●	●	●	●	●
swiftCOAG	●	●	-	●	●	●
sprayCOAG	●	-	-	●	●	●
preciseSECT	●	-	-	●	-	-
twinCOAG	●	-	-	●	●	-
autoCUT bipolar	●	●	●	●	●	●
softCOAG bipolar	●	●	●	●	●	●
forcedAPC	●	●	-	●	●	-
preciseAPC	●	●	-	●	-	-
pulsedAPC	●	●	-	●	-	-
moveAPD	●	-	-	-	-	-
senseAPD	●	-	-	●	-	-
autoCUT argon	●	-	-	●	-	-
highCUT argon	●	-	-	●	-	-
dryCUT argon	●	-	-	●	-	-
swiftCOAG argon	●	-	-	●	-	-
preciseSECT argon	●	-	-	●	-	-
twinCOAG argon	●	-	-	●	-	-

Functions and instrument sockets by configuration VIO® 3n

Functions, instrument sockets	VIO® 3n Fire	VIO® 3n Metal	VIO® 3n Stone	VIO® 3n Water	VIO® 3n Amber	VIO® 3n Timber
Connect instrument with the help of the socket frame light	●	●	-	●	●	-
Socket frame light on activation of the instrument	●	●	-	●	●	-
Socket frame light signals operating state of the neutral electrode	●	●	-	●	●	-
Electrical connector for APC 3 connection	●	●	-	●	●	-
1. Socket: BI 2-pin 22–28	●	●	●	●	●	●
2. Socket: MO 3-pin; Bovie	●	●	●	●	●	●
3. Socket: MO 3-pin; Bovie	●	●	-	●	●	-
4. Socket: NE 6; 2-pin	●	●	●	●	●	●

# Electrosurgery

## VIO® seal

### VIO® seal

#### Generator entirely dedicated to bipolar applications

Pair VIO® seal with other VIO® generators to create a state-of-the-art workstation for surgical environments, e.g. DIEP-flap, hysterectomy, thyroidectomy



#### Exemplary compatible modules

- VIO®
- IES 3
- EIP 2

#### Sockets

- 2x MF-U

### No. 10160-020

CUT	COAG
autoCUT bipolar thermoSECT	softCOAG bipolar biCLAMP thermoSEAL

## VIO® D

### VIO® 300 D

In addition to vessel sealing, the high-end unit from the VIO® product range offers all APC modes and all available CUT and COAG modes (either as a standard mode in the unit or as an upgrade)

- Simple and interactive operation using the TFT display
- Automatic power adjustment for all control technologies
- Variable configuration of socket assignment
- Additional upgrades available for specific medical specialties



### No. 10140-100

Upgrades	
PRECISE Upgrade - PRECISE CUT - BIPOLAR PRECISE CUT - PRECISE COAG - BIPOLAR PRECISE COAG	29140-217
ENDO CUT Upgrade - ENDO CUT Q - ENDO CUT I	29140-218
TWIN COAG Upgrade - TWIN COAG - Argon TWIN COAG	29140-216
BiClamp Upgrade	29140-214

### VIO® 200 D

VIO® electrosurgical unit for endoscopy and other disciplines with all APC modes and other COAG modes for endoscopy, ENDO CUT I and Q as an upgrade

- Simple and interactive operation using the TFT display
- Automatic power adjustment for all control technologies
- Variable configuration of socket assignment
- Additional upgrades available for specific medical specialties



### No. 10140-200

Upgrades	
PRECISE Upgrade - PRECISE CUT - BIPOLAR PRECISE CUT - PRECISE COAG - BIPOLAR PRECISE COAG	29140-217
ENDO CUT Upgrade - ENDO CUT Q - ENDO CUT I	29140-218
DRY CUT Upgrade - DRY CUT - Argon DRY CUT	29140-215

# Electrosurgery

## VIO® S

### VIO® 300 S

Universal VIO® electrosurgical unit based on different variants. For many surgical specialities with the most important CUT and COAG modes as well as FORCED APC, with optional ENDO CUT I and Q

- Direct operation using the segment display
- Automatic power adjustment for all control technologies
- Variable configuration of socket assignment



#### No. 10140-300

##### Upgrades

ENDO CUT Upgrade - ENDO CUT Q - ENDO CUT I	29140-218
TWIN COAG Upgrade - TWIN COAG - Argon TWIN COAG	29140-216

### VIO® 200 S

VIO® electrosurgical unit for many electrosurgical procedures and for specialist medical practices with the most important CUT and COAG modes as well as FORCED APC, with optional ENDO CUT I and Q

- Direct operation using the segment display
- Automatic power adjustment for all control technologies
- Variable configuration of socket assignment



#### No. 10140-400

##### Upgrades

ENDO CUT Upgrade - ENDO CUT Q - ENDO CUT I	29140-218
--	-----------

## VIO® C

### VIO® 100 C

VIO® compact electrosurgical unit for use in surgical practice with the most important CUT and COAG modes (100 watt unit)

- Direct operation using the segment display
- Monopolar cutting
- Monopolar and bipolar coagulation



#### No. 10140-500

## Electrosurgery

### Socket modules for VIO® D, S and C

Bipolar sockets (BI)	No.
2Pin-22-28-8/4 mm	20140-613

Monopolar sockets (MO)	No.
3Pin-Bovie	20140-622
3Pin-9/5 mm	20140-623

Multifunctional socket (MF) for VIO® 300 D only	No.
multifunctional	20140-630

Neutral electrode sockets (NE)	No.
6 mm-2Pin	20140-642

Socket modularity					
	VIO® 300 D	VIO® 200 D	VIO® 300 S	VIO® 200 S	VIO® 100 C
Slot 1	BI	BI	BI	BI	BI
Slot 2	MO, BI, MF	MO, BI	MO	MO	MO
Slot 3	MO, MF	MO	MO	MO	-
Slot 4	NE	NE	NE	NE	NE

# Electrosurgery

Modes and Upgrades for VIO® D, S, C

CUT	VIO® 300 D	VIO® 200 D	VIO® 300 S	VIO® 200 S	VIO® 100 C
AUTO CUT	■	■	■	■	■*
HIGH CUT	■	–	○	–	–
DRY CUT	■	□	○	–	■*
DRY CUT°	■	–	○	–	–
BIPOLAR CUT	■	■	○	–	–
BIPOLAR CUT +	■	–	–	–	–
BIPOLAR CUT ++	■	–	–	–	–
PRECISE CUT	□	□	–	–	–
BIPOLAR PRECISE CUT	□	□	–	–	–
ENDO CUT Q	□	□	□	□	–
ENDO CUT I	□	□	□	□	–
ARGON AUTO CUT	■	■	■	■	–
ARGON HIGH CUT	■	–	○	–	–
ARGON DRY CUT	■	□	○	–	–
ARGON DRY CUT°	■	–	○	–	–

COAG	VIO® 300 D	VIO® 200 D	VIO® 300 S	VIO® 200 S	VIO® 100 C
SOFT COAG	■	■	○	■	■*
SWIFT COAG	■	■	○	–	–
SWIFT COAG°	■	–	○	–	–
CLASSIC COAG	■	–	■	–	–
FORCED COAG	■	■	○	■	■*
SPRAY COAG	■	–	■	–	–
BIPOLAR SOFT COAG	■	■	■	■	■*
BIPOLAR SOFT COAG +	■	–	–	–	–
BIPOLAR SOFT COAG ++	■	–	–	–	–
BIPOLAR FORCED COAG	■	■	–	–	–
PRECISE COAG	□	□	–	–	–
BIPOLAR PRECISE COAG	□	□	–	–	–
TWIN COAG	□	–	□	–	–
BICLAMP	□	–	–	–	–
FORCED APC	■	■	■	■	–
PRECISE APC	■	■	–	–	–
PULSED APC	■	■	–	–	–
ARGON SOFT COAG	■	■	○	■	–
ARGON SWIFT COAG	■	■	○	–	–
ARGON SWIFT COAG°	■	–	○	–	–
ARGON FORCED COAG	■	■	○	■	–
ARGON TWIN COAG	□	–	□	–	–

**Legend:**

■ included

○ depending on the version

□ upgradeable

□ only available ex factory (must be ordered)

\* modified modes,  
power adjustment only

# Electrosurgery

## Modules

IES 3 Smoke evacuation unit, 100–240 V AC ( $\pm 10\%$ ), without main filter cartridge

**No. 10323-000**

- Protection through ULPA-15 filter
- Good response, quiet operation
- Extended range of applications
- Flexible activation

*The main filter cartridge is not included in the scope of delivery.*




Main filter cartridge IES 3 with connection  $\varnothing 22$  mm

**No. 20323-000**



 = 1

 80114-801

EIP 2, irrigation pump for endoscopic procedures

**No. 10325-000**

Endoscopic irrigation pump for irrigating the target tissue

- Activation via footswitch or via the user interface on the unit
- 3 quick access options for irrigation level (30 %, 50 % and 80 % irrigation)
- Values can be changed individually and quickly
- Additional irrigation catheter often not required



## Modules

### APC 3

**No. 10135-000**

The benefits of the logical and intuitive VIO® 3 interface are now also available with APC 3. As your stepGUIDE, the interface guides you through each menu, suggesting experienced starting settings for APC applications.

- All APC modes are integrated into the VIO® 3 and VIO® 3n: pulsedAPC®, forcedAPC and preciseAPC®
- The APC socket – your connection for APC filtered instruments
- Besides the APC socket, an additional multifunctional socket is provided for further instruments. For the first time, this allows you to connect and use up to 6 instruments as required for your procedure.



*only for VIO® 3 and VIO® 3n*

### APC 2

**No. 10134-000**

Effective coagulation of bleeding, as well as devitalization of changes in tissue

- 3 APC modes: FORCED APC, PRECISE APC, PULSED APC (see table on page 9)
- Non-contact procedure, instrument tips cannot become clogged
- Even effects with coagulation and devitalization
- Good dosage accuracy, resulting in greater safety during application
- Low risk of perforation
- Argon-supported cutting
- Minimum carbonization, minimum development of smoke plume, good visibility of the target area



*only for VIO® D/S*

# Hydrosurgery

## Units and modules

### ERBEJET® 2

No. 10150-000

Selective dissection of tissue, layer-specific elevation of tissue layers

- Basic module for hybrid technology
- Applications include general or abdominal surgery, gastroenterology, urology
- Protects blood vessels, nerves and organs
- High degree of tissue selectivity enables exposure and dissection of tissue layers
- Minimized bleeding, controlled management of bleeding



### ESM 2, suction module

No. 10340-000

Suction module for the waterjet surgery unit (ERBEJET 2)

- Individual or automatic suction for waterjet application
- Clear view of the target operating area



# Cryosurgery

## Units

### ERBECRYO® 2

Cryosurgical unit for cryobiopsy, recanalization and cryo-devitalization

No. 10402-000

- Application with flexible cryoprobes
- Superior tissue samples in terms of quality and quantity
- No crush artifacts or hemorrhages
- High diagnostic weighting
- Supports endobronchial and transbronchial biopsy
- Coolant: carbon dioxide (CO<sub>2</sub>)



#### Important information

The information, recommendations and other details contained in this medium ("information") reflect our state of knowledge and the state of the art in science and technology at the time the medium was created. The information is of a general nature, non-binding and intended solely for general information purposes; it does not constitute instructions for use.

The information and recommendations contained in this medium do not create any legal obligations on the part of Erbe Elektromedizin GmbH and its affiliated companies ("Erbe") or any other claims against Erbe. The information does not constitute any guarantees or other information on the nature of the product; such information requires an express contractual agreement with Erbe in each individual case.

Erbe is not liable for any kind of damage resulting from following the information on this medium, regardless of any legal grounds for liability.

Every user of an Erbe product is responsible for testing the respective Erbe product in advance with regard to its properties and its suitability for the intended type of use or purpose. Suitable type of use of the respective Erbe product can be found in the instructions for use for the respective Erbe product. The user is obliged to ascertain whether the instructions for use available to him/her correspond to the current status of the specific Erbe product. Devices may only be used in accordance with the instructions for use.

Information on settings, application sites, application duration and use of the respective Erbe product is based on the clinical experience of individual centers, physicians and clinical literature independent of Erbe as well as post market surveillance and empirical evidence. They constitute reference values, or Experienced Starting Settings, which must be checked by the user to ensure that they are suitable for the specifically planned application. Depending on the circumstances of a specific application, it may be necessary to deviate from the information provided. The user is responsible for checking this when using Erbe products. We wish to note that science and technology are subject to constant development as a result of research and clinical experience. Similarly, medicine and clinical application are constantly evolving as a result of research and technological development. This may also make it necessary for the user to deviate from the information provided on this medium.

This medium contains information about Erbe products that may not be approved/cleared in certain countries. The user of the respective Erbe product is obliged to inform himself/herself as to whether the Erbe product he/she is using is legally approved/cleared in his/her country and/or to what extent, if any, there are legal requirements for or restrictions on its use.

This medium is not intended for use in the USA.

Erbe Elektromedizin GmbH  
Waldhoernlestrasse 17  
72072 Tuebingen  
Germany

Phone +49 7071 755-0  
[info@erbegroup.com](mailto:info@erbegroup.com)  
[erbegroup.com](http://erbegroup.com)  
[medical-videos.com](http://medical-videos.com)